

TEST REPORT

| Report No. | |
|----------------|----|
| Applicant | j. |
| Address | : |
| Manufacturer | |
| Sample Name | |
| Sample Model | 3 |
| Test Requested | |

| ÷ |
|----|
| : |
| n, |
| ż |
| 2 |
| ş. |
| |

WTF22F08162058C

Mid Ocean Brands B.V.

7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong 115582

Felt laptop bag w front pocket, Felt pencil case

MO9818, MO9819

- Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628
- Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217
- Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).
- 4) As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.

Refer to next page (s)

2022-08-09 to 2022-08-16

2022-08-17

2022-08-09

Refer to next page (s)

As specified by client, only test the designated sample.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn

1/10

WT-F-510-3003-05-A

Sample photo:





Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn

WT-F-510-3003-05-A



H.

2

15

Λ

5

Report No.: WTF22F08162058C

Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

| Test Item | LOQ | Result | s (mg/kg) | Limit |
|------------|----------------|--------|-----------|--------------|
| | (mg/kg) | No.1 | No.2+No.6 | (mg/kg) |
| Lead(Pb) | 2 | 119 | ND* | 500 |
| Conclusion | MUTER WALT VIN | Pass | Pass | Alt State St |

| Table Mana | LOQ | | Results (mg/kg) | t intre white | Limit |
|------------|---------------|------|-----------------|---------------|---------|
| Test Item | (mg/kg) | No.3 | No.4 | No.5 | (mg/kg) |
| Lead(Pb) | 2 | ND | ND | ND | 500 |
| Conclusion | et must -must | Pass | Pass | Pass | St. 5th |

Note:

(1) mg/kg = milligram per kilogram

(2) ND = Not Detected (lower than LOQ)

(3) LOQ = Limit of quantitation

- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.



2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

| - At Stra | LOQ | white sure | Results | (mg/kg) | |
|-------------|---------|------------|---------|---------|-----------------|
| Test Item | (mg/kg) | No.2+No.6 | No.3 | No.4 | No.5 |
| Cadmium(Cd) | 2 | ND* | ND | ND of | ND ⁰ |
| Conclusion | 1 A | Pass | Pass | Pass | Pass |

Note:

(1) mg/kg = milligram per kilogram

(2) ND = Not Detected (lower than LOQ)

(3) LOQ = Limit of quantitation

(4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

| Category | Limit (mg/kg) |
|---|---------------|
| Wet paint | 100 |
| Surface coating | 1000 |
| Plastic | 100 |
| Metal parts of jewellery and hair accessories | 100 |

(5) "*" = Results are calculated by the minimum weight of mixed components.



3) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

| No. | Amines Substances | CAS No. | Limit 🕤 | Result (mg/kg) |
|------|---|----------|-----------|----------------|
| 140. | | CAS NO. | (mg/kg) | No.2+No.6 |
| 1 | 4-Aminobiphenyl | 92-67-1 | 30 | ND* |
| 2 | Benzidine | 92-87-5 | 30 | ND* |
| 3 | 4-chloro-o-Toluidine | 95-69-2 | <u>30</u> | ND* |
| 4 | 2-Naphthylamine | 91-59-8 | 30 | ND* |
| 5 | o-Aminoazotoluene | 97-56-3 | 30 | ND* |
| 6 | 2-Amino-4-nitrotoluene | 99-55-8 | 30 | ND* |
| 7 | p-Chloroaniline | 106-47-8 | 30 | ND* |
| 8 | 2,4-diaminoanisol | 615-05-4 | 30 | ND* |
| 9 | 4,4'-Diaminodiphenylmethane | 101-77-9 | 30 | ND* |
| 10 | 3,3'-Dichlorobenzidine | 91-94-1 | 30 | ND* |
| 11 | 3,3'-Dimethoxybenzidine | 119-90-4 | 30 | ND* |
| 12 | 3,3'-Dimethylbenzidine | 119-93-7 | 30 | ND* |
| 13 | 3,3'-Dimethyl-4,4'-diaminodiphenylmethane | 838-88-0 | 30 | ND* |
| 14 | p-cresinin | 120-71-8 | 30 | ND* |
| 15 | 4,4'-Methylen-bis-(2-chloroaniline) | 101-14-4 | 30 | ND* |
| 16 | 4,4'-Oxydianiline | 101-80-4 | 30 | ND* |
| 17 | 4,4'-Thiodianiline | 139-65-1 | 30 | ND* |
| 18 | o-Toluidine | 95-53-4 | 30 | ND* |
| 19 | 2,4-Toluylendiamine | 95-80-7 | 30 | ND* |
| 20 | 2,4,5 – Trimethylaniline | 137-17-7 | 30 | ND* |
| 21 | o-anisidine | 90-04-0 | 30 | ND* |
| 22 | 4-aminoazobenzene | 60-09-3 | 30 | ND* |
| 23 | 2,4-Xylidin | 95-68-1 | 30 | ND* |
| 24 | 2,6-Xylidin | 87-62-7 | 30 | ND* |
| - 3 | Conclusion | 19 S | The state | Pass |



| No. | Amines Substances | CAS No. | Limit | Result (mg/kg) | |
|-----|---|----------|---------|----------------|--|
| NO. | Amines Substances | CAS NO. | (mg/kg) | No.5 | |
| 1 | 4-Aminobiphenyl | 92-67-1 | 30 | A ND A A | |
| 2 | Benzidine | 92-87-5 | 30 | ND ND | |
| 3 | 4-chloro-o-Toluidine | 95-69-2 | 30 | ND S | |
| 4 | 2-Naphthylamine | 91-59-8 | 30 | W WND W | |
| 5 | o-Aminoazotoluene | 97-56-3 | 30 | ND ND | |
| 6 | 2-Amino-4-nitrotoluene | 99-55-8 | 30 | ND | |
| 7 | p-Chloroaniline | 106-47-8 | 30 | St SND St St | |
| 8 | 2,4-diaminoanisol | 615-05-4 | 30 | ND | |
| 9 | 4,4'-Diaminodiphenylmethane | 101-77-9 | 30 | ND ND | |
| 10 | 3,3'-Dichlorobenzidine | 91-94-1 | 30 🔊 | ND | |
| 11 | 3,3'-Dimethoxybenzidine | 119-90-4 | 30 | ND | |
| 12 | 3,3'-Dimethylbenzidine | 119-93-7 | 30 | ND | |
| 13 | 3,3'-Dimethyl-4,4'-diaminodiphenylmethane | 838-88-0 | 30 | ND ND | |
| 14 | p-cresinin | 120-71-8 | .30 | ND | |
| 15 | 4,4'-Methylen-bis-(2-chloroaniline) | 101-14-4 | 30 | ND ND | |
| 16 | 4,4'-Oxydianiline | 101-80-4 | 30 | ND | |
| 17 | 4,4'-Thiodianiline | 139-65-1 | 30 | ND | |
| 18 | o-Toluidine | 95-53-4 | 30 | ND | |
| 19 | 2,4-Toluylendiamine | 95-80-7 | 30 | ND | |
| 20 | 2,4,5 – Trimethylaniline | 137-17-7 | 30 | ND | |
| 21 | o-anisidine | 90-04-0 | 30 | ND | |
| 22 | 4-aminoazobenzene | 60-09-3 | 30 | ND | |
| 23 | 2,4-Xylidin | 95-68-1 | 30 | ND | |
| 24 | 2,6-Xylidin | 87-62-7 | 30 | ND | |
| S. | Conclusion | 05 | 1.15 50 | Pass | |

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006 "*" = Results are calculated by the minimum weight of mixed components.

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn



121

Report No.: WTF22F08162058C

4) Colour Fastness to Rubbing

| Colour Fastness to Rubbing | | | | | |
|----------------------------|--------------------------|-----------------------|------|----------------|--|
| (ISO 105-X12: | 2016; Size of rubbing fi | nger: 16mm diameter.) | | the state | |
| when when | m. m. m | No.2 | No.6 | Client's Limit | |
| Longth | Dry staining | 4-5 | 4-5 | 2-3 | |
| Length | Wet staining | 4-5 | 4-5 | 2-3 | |
| VA/: dth | Dry staining | 4-5 | 4-5 | 2-3 | |
| Width | Wet staining | 4-5 | 4-5 | 2-3 | |
| Conclusion | | Pass | Pass | ner mer - m | |

Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

Description for Specimen:

| Specimen No. | Specimen Description |
|-----------------------|------------------------------|
| 1 1 1 1 | Silvery metal zipper head |
| and and 2 and and and | Dark grey fibrous bag |
| tet the 3 the my my | Black zipper fabric |
| 4 | Black plastic zipper tooth |
| Strand Strand Strand | Black plastic loop of VELCRO |
| 6 | Grey fibrous bag |



Photograph of parts tested:




Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn

WT-F-510-3003-05-A



いのうにやく



Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn

9/10

WT-F-510-3003-05-A



Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.

===== End of Report ======