



TEST REPORT

Reference No...... : WTF21F08079725S
Applicant..... : Mid Ocean Brands B.V.
Address..... : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon,
Hong Kong
Manufacturer : Mid Ocean Brands B.V.
Address..... : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon,
Hong Kong
Product Name..... : Passport holder
Model No...... : MO9107
Test items : Anti-skimming test
Date of Receipt sample : 2021-08-10
Date of Test : 2021-08-10 to 2021-08-13
Date of Issue..... : 2021-08-19
Test Report Form No. : WST-133188-02A
Test Result..... : See below

Remarks:

The results shown in this test report refer only to the sample(s) tested, this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City,
Chencun, Shunde District, Foshan, Guangdong, China

Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Compiled by:

Ryan Wu / Project Engineer

Approved by:

Jerry Mu / Manager



List of test items:

No.	Test Items	Requirement + Test	Result
1	Anti-skimming test	Customer requirements	See below
<p>Subcontract</p> <p>Whether parts of tests for the product have been subcontracted to other labs: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>If Yes, list the related test items and lab information: Test items: --- Lab information: --</p>			
<p>Possible test case verdicts:</p> <ul style="list-style-type: none"> - test case does not apply to the test object.....: N - test object does meet the requirement.....: P (Pass) - test object does not meet the requirement.....: F (Fail) 			
<p>Remarks:</p> <p>--</p> <div style="text-align: center; font-size: 48px; opacity: 0.1; font-weight: bold; margin-top: 100px;">WALTEK</div>			

**Test Item:**

Anti-skimming test

1.1 Test Environment

Temperature: 23 °C Humidity: 50% RH

1.2 Test procedure:

- 1) Mark passport holder in No.1, 2 positions. (details refer to photo documentation)
- 2) Put an IC card into No.1 passport holder. Put this card holder gradually close to the reading machine, to see how far the IC card could be read. Mark the distance A.
- 3) Then take the IC card out of the holder. And put this IC card gradually close to the reading machine, to see how far the IC card could be read. Mark the distance B.
- 4) Compare A and B
- 5) Repeat step for card holder No.2 to 5 for 4 times.

1.3 Test result:

The distance of the IC card can be read

Model: MO9107

Unit : mm

Sample 1	No.	Test position	
		1#	2#
1	A:	NG	NG
	B:	21.8	21.8
2	A:	NG	NG
	B:	21.8	21.8
3	A:	NG	NG
	B:	21.8	21.8
4	A:	NG	NG
	B:	21.8	21.8
5	A:	NG	NG
	B:	21.7	21.8



Model: MO9107

Unit : mm

Sample 2	No.	Test position	
		1#	2#
1	A:	NG	NG
	B:	21.8	21.8
2	A:	NG	NG
	B:	21.8	21.8
3	A:	NG	NG
	B:	21.8	21.8
4	A:	NG	NG
	B:	21.8	21.8
5	A:	NG	NG
	B:	21.8	21.8

Remark: A – Distance of the IC card can be read with card holder;

B – Distance of the IC card can be read without card holder.

NG – Negative, cannot be read

0 – can be read when contact the machine



Photo Documentation:
Model: MO9107



Photo 1 - Sample



Photo 2 - During the test

===== End of Report =====