



Item number MO9661-03

Item description

Lanyard with metal hook, detachable buckle and safety breakaway. 25mm wide. Sublimation print available on white item only.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	37,00%
2	Lanyard fabric	Lanyard	Polyester (PET)	33,50%
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	18,50%
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	11,00%
			Sum	100,00%

Country of origin	-
Country of processing	-



Biodegradebility of material	☐ Yes	⊠ No
Recyclability of material	⊠ Yes	□ No

Recycled material	Natural material	Reused waste material
☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No

End of life suggestion

















Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

a dottagning and in an open					
Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	500	-	Υ	25 pcs per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9661-04

Item description

Lanyard with metal hook, detachable buckle and safety breakaway. 25mm wide. Sublimation print available on white item only.

Material content

Material Content				
Part	Component description	Position	Material	Weight Percentage
1	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	37,00%
2	Lanyard fabric	Lanyard	Polyester (PET)	33,50%
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	18,50%
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	11,00%
			Sum	100,00%

Country of origin	-
Country of processing	-



Biodegradebility of material	☐ Yes	⊠ No
Recyclability of material	⊠ Yes	□ No

Recycled material	Natural material	Reused waste material
☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No

End of life suggestion

















Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

a dottagning and in an open					
Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	500	-	Υ	25 pcs per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9661-05

Item description

Lanyard with metal hook, detachable buckle and safety breakaway. 25mm wide. Sublimation print available on white item only.

Material content

material content				
Part	Component description	Position	Material	Weight Percentage
1	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	37,00%
2	Lanyard fabric	Lanyard	Polyester (PET)	33,50%
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	18,50%
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	11,00%
			Sum	100,00%

Country of origin	-
Country of processing	-



Biodegradebility of material	☐ Yes	⊠ No
Recyclability of material	⊠ Yes	□ No

Recycled material	Natural material	Reused waste material
☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No

End of life suggestion

















Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

deltaging and ranoper					
Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	500	-	Υ	25 pcs per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9661-06

Item description

Lanyard with metal hook, detachable buckle and safety breakaway. 25mm wide. Sublimation print available on white item only.

Material content

Material	Material Content				
Part	Component description	Position	Material	Weight Percentage	
1	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	37,00%	
2	Lanyard fabric	Lanyard	Polyester (PET)	33,50%	
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	18,50%	
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	11,00%	
			Sum	100,00%	

Country of origin	-
Country of processing	-



Biodegradebility of material	☐ Yes	⊠ No
Recyclability of material	⊠ Yes	□ No

Recycled material	Natural material	Reused waste material
☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No

End of life suggestion

















Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

deltaging and ranoper					
Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	500	-	Υ	25 pcs per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9661-09

Item description

Lanyard with metal hook, detachable buckle and safety breakaway. 25mm wide. Sublimation print available on white item only.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	37,00%
2	Lanyard fabric	Lanyard	Polyester (PET)	33,50%
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	18,50%
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	11,00%
			Sum	100,00%

Country of origin	-
Country of processing	-



Biodegradebility of material	☐ Yes	⊠ No
Recyclability of material	⊠ Yes	□ No

Recycled material	Natural material	Reused waste material
☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No

End of life suggestion

















Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

r dortaging and mano port						
	Piece	Inner Carton	Carton	mo box	Polybag	Packaging
	1	0	500	-	Υ	25 pcs per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9661-10

Item description

Lanyard with metal hook, detachable buckle and safety breakaway. 25mm wide. Sublimation print available on white item only.

Material content

	material content							
Part	Component description	Position	Material	Weight Percentage				
1	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	37,00%				
2	Lanyard fabric	Lanyard	Polyester (PET)	33,50%				
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	18,50%				
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	11,00%				
			Sum	100,00%				

Country of origin	-
Country of processing	-



Biodegradebility of material	☐ Yes	⊠ No
Recyclability of material	⊠ Yes	□ No

Recycled material	Natural material	Reused waste material
☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No

End of life suggestion

















Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

r dortaging and mano port						
	Piece	Inner Carton	Carton	mo box	Polybag	Packaging
	1	0	500	-	Υ	25 pcs per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9661-12

Item description

Lanyard with metal hook, detachable buckle and safety breakaway. 25mm wide. Sublimation print available on white item only.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	37,00%
2	Lanyard fabric	Lanyard	Polyester (PET)	33,50%
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	18,50%
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	11,00%
			Sum	100,00%

Country of origin	-
Country of processing	-



Biodegradebility of material	☐ Yes	⊠ No	
Recyclability of material	⊠ Yes	□ No	

Recycled material	Natural material	Reused waste material
☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No

End of life suggestion

















Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

r dortaging and mano port						
	Piece	Inner Carton	Carton	mo box	Polybag	Packaging
	1	0	500	-	Υ	25 pcs per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9661-37

Item description

Lanyard with metal hook, detachable buckle and safety breakaway. 25mm wide. Sublimation print available on white item only.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	37,00%
2	Lanyard fabric	Lanyard	Polyester (PET)	33,50%
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	18,50%
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	11,00%
			Sum	100,00%

Country of origin	-
Country of processing	-



Biodegradebility of material	☐ Yes	⊠ No
Recyclability of material	⊠ Yes	□ No

Recycled material	Natural material	Reused waste material
☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No

End of life suggestion

















Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

. aonaging	, and manoport				
Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	500	-	Υ	25 pcs per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9661-38

Item description

Lanyard with metal hook, detachable buckle and safety breakaway. 25mm wide. Sublimation print available on white item only.

Material content

Material	Material Content					
Part	Component description	Position	Material	Weight Percentage		
1	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	37,00%		
2	Lanyard fabric	Lanyard	Polyester (PET)	33,50%		
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	18,50%		
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	11,00%		
			Sum	100,00%		

Country of origin	-
Country of processing	-



Biodegradebility of material	☐ Yes	⊠ No
Recyclability of material	⊠ Yes	□ No

Recycled material	Natural material	Reused waste material
☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No

End of life suggestion

















Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

. aonaging	, and manoport				
Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	500	-	Υ	25 pcs per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9661-48

Item description

Lanyard with metal hook, detachable buckle and safety breakaway. 25mm wide. Sublimation print available on white item only.

Material content

Material	material content					
Part	Component description	Position	Material	Weight Percentage		
1	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	37,00%		
2	Lanyard fabric	Lanyard	Polyester (PET)	33,50%		
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	18,50%		
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	11,00%		
			Sum	100,00%		

Country of origin	-
Country of processing	-



Biodegradebility of material	☐ Yes	⊠ No
Recyclability of material	⊠ Yes	□ No

Recycled material	Natural material	Reused waste material
☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No

End of life suggestion

















Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

. aonaging	tortagning and Transport				
Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	500	-	Υ	25 pcs per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela