



Item number MO9354-03

Item description

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			Total	100.00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, <u>POM</u> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <u>Polyester</u>	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather



Recyclability of material	⊠Yes	□No
Denoviable acures		

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

	The state of the s				
Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	1000	-	Υ	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9354-04

Item description

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			Total	100.00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather



Recyclability of material	⊠Yes	□No
Panawahla aawaa		

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

	.5				
Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	1000	-	Υ	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9354-05

Item description

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			Total	100.00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather



Recyclability of material	⊠Yes	□No	
Panawahla aawaa			

Recycled material	cycled material Natural material	
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

)				
Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	1000	-	Υ	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9354-06

Item description

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			Total	100.00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, <u>POM</u> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <u>Polyester</u>	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather



Recyclability of material	⊠Yes	□No	
Panawahla aawaa			

Recycled material	cycled material Natural material	
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

)				
Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	1000	-	Υ	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9354-09

Item description

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			Total	100.00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather



Recyclability of material	⊠Yes	□No	
Panawahla aawaa			

Recycled material	cycled material Natural material	
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

- committee of the comm						
	Piece	Inner Carton	Carton	mo box	Polybag	Packaging
	1	0	1000	-	Υ	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9354-10

Item description

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			Total	100.00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather



Recyclability of material	⊠Yes	□No	
Panawahla aawaa			

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

- committee of the comm						
	Piece	Inner Carton	Carton	mo box	Polybag	Packaging
	1	0	1000	-	Υ	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9354-12

Item description

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			Total	100.00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather



Recyclability of material	⊠Yes	□No	
2			

Recycled material	Natural material	Reused waste material	
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No	

End of life suggestion

















Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

	9					
Piece	Inner Carton	Carton	mo box	Polybag	Packaging	
1	0	1000	-	Υ	25 pcs per polybag	

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9354-37

Item description

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			Total	100.00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather



Recyclability of material	⊠Yes	□No
2		

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

	,				
Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	1000	-	Υ	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9354-38

Item description

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, <u>POM</u> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <u>Polyester</u>	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather



Recyclability of material	⊠Yes	□No
2		

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

	,				
Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	1000	-	Υ	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9354-48

Item description

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			Total	100.00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather



Recyclability of material	⊠Yes	□No
2		

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory





Packaging and Transport

	and an analysis and a second an				
Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	1000	-	Υ	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela