

TEST REPORT

Report No.: WTF22F11218738C Applicant: Mid Ocean Brands B.V.

Address: : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan,

Kowloon, Hong Kong

Manufacturer.....: 111652

Sample Name: Refer to next page (s) Sample Model: Refer to next page (s)

Test Requested.....: 1) Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No.

836/2012 and (EU) 2015/628

2) Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU)

3) Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No.

2018/2005

4) Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).

5) As requested by the applicant, to test Colour Fastness to

Rubbing in the submitted sample.

Test Conclusion: Refer to next page (s)

Date of Receipt sample.....: 2022-11-02

Testing period.....: 2022-11-02 to 2022-11-09

Date of Issue: 2022-11-11

Test Result: Refer to next page (s)

Note.....: : As specified by client, only test the designated sample.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China

Fax:+86-757-23811381 E-mail:info@waltek.com.cn Tel:+86-757-23811398

Signed for and on behalf of

Waltek Testing Group (Foshan) Co., Ltd.

Swing.Liang

Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

http://www.waltek.com.cn

1/12

WT-F-510-3003-05-A





Specimen No.	Specimen Description	Sample Name	Sample Model	
July 1 July	Black main fabric	EF STEEF WITEE WITEE SW	LIE WALL WALL	
2 50	Black webbing	M W		
3	Black fabric rim	ck fabric rim		
4	Black plastic zipper tooth	600D polyester document	M00040	
5 5	Black zipper fabric	bag	MO8346	
6	Red plastic zipper tooth	TEX WALTER WALTER WALTER	nert whis while	
Thirt 7 Miles	Red zipper fabric	t tet tet stet w		
8	Silvery metal zipper head	where mer mer in	t at	
9 4	Black fabric rim	Shopping bag in 600D	MO8715	
10	Black lining	polyester	WO0713	
11	Black fabric rim	NITER WILL WALL WILL	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
12	Blue fabric rim	EX LIEX OLIEX ONLIEX		
13	Black main fabric	in the same of		
14	Blue main fabric	White write white whi		
15	Blue plastic zipper tooth	Pencil case	MO8176	
16	Blue zipper fabric	Blue zipper fabric		
17	Silvery metal buckle	LIEF WILE MULTER MULTER		
18	Silvery metal buckle	at the life that		
19	Silvery metal rivet	in must must must my		



Sample photo:





Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

- 18th Slith 18	LOQ	Results	Limit		
Test Item	(mg/kg)	No.1	No.2	(mg/kg)	
Lead(Pb)	2	ND	ND	500	
Conclusion	x - 1 1	Pass	Pass	21, 21,	

*	LOQ	Results (mg/kg)		Limit (mg/kg)	
Test Item	(mg/kg)	No.3+No.11+No.12 No.4+No.6+No.15			
Lead(Pb)	2	ND*	ND*	500	
Conclusion	at the top	Pass	Pass	10 10	

Charlet aliet	LOQ	Results (mg/kg)		Limit
Test Item	(mg/kg)	No.5+No.7+No.16	No.8	(mg/kg)
Lead(Pb)	2	ND*	17	500
Conclusion	- A	Pass	Pass	211 74

Test Item	LOQ	Results (mg/kg)		Limit
	(mg/kg)	No.9	No.10	(mg/kg)
Lead(Pb)	2 4	ND	_ ND	500
Conclusion	+ +	Pass	Pass	1/1, -1/2

The least of	LOQ	Resul	ts (mg/kg)	Limit
Test Item	(mg/kg)	No.13+No.14	No.17+No.18+No.19	(mg/kg)
Lead(Pb)	2	ND*	ND*	500
Conclusion	, , ,	Pass	Pass	

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.



2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	LOQ	Results	(mg/kg)
	(mg/kg)	No.1	No.2
Cadmium(Cd)	2	ND ND	ND ND
Conclusion	MrMr. M	Pass	Pass

Took Hom	LOQ	Results ((mg/kg)
Test Item	(mg/kg)	No.3+No.11+No.12	No.4+No.6+No.15
Cadmium(Cd)	2	ND* ND*	MD*
Conclusion	mr - m	Pass ,	Pass

Took House	LOQ	Results (mg/kg)		
Test Item	(mg/kg)	No.5+No.7+No.16	No.9	
Cadmium(Cd)	2	ND*	ND ND	
Conclusion	2005 - 200	Pass	Pass	

Took Home (Tool Home	LOQ	Results (mg/kg)			
Test Item	(mg/kg)	No.10	No.13+No.14			
Cadmium(Cd)	2 2	ND WELL WE	ND*			
Conclusion	n, m <u>.</u> m	Pass	Pass			

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

(5) "*" = Results are calculated by the minimum weight of mixed components.



3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ (%)	Results (%)	Limit (%)	
The state of the s	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	No.13+No.14	111 (19)	
Benzyl butyl phthalate (BBP)	0.005	ND*	LIER NLIER WILLER WI	
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	sum of four phthalates < 0.1	
Dibutyl phthalate (DBP)	0.005	ND* ND*		
Diisobutyl phthalate (DIBP)	0.005	ND*	NITE WITER WHITER	
Diisodecyl phthalate (DIDP)	0.01	ND*	A St. St.	
Diisononyl phthalate (DINP)	0.01	At ND*	sum of three phthalates < 0.1	
Di-n-octyl phthalate (DNOP)	0.005	ND*	prilitalates < 0.	
Conclusion	ct 764 368	Pass	2 11 211 21,	

Note:

DBP= Dibutyl phthalate
DINP= Di-isononyl phthalate
DIBP= Diisobutyl phthalate

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.
- (6) "*" = Results are calculated by the minimum weight of mixed components.



4) AZOTest Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed

by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Amilian Cirlinan	CAC No	Limit	Result (mg/kg)	
	Amines Substances	CAS No.	(mg/kg)	No.1	No.2
1	4-Aminobiphenyl	92-67-1	30	ND	ND
2	Benzidine	92-87-5	30	ND	ND V
3	4-chloro-o-Toluidine	95-69-2	30	ND	ND
4	2-Naphthylamine	91-59-8	30	ND	ND
5	o-Aminoazotoluene	97-56-3	30	30 ND	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND	ND
7	p-Chloroaniline	106-47-8	30	30 ND	
8	2,4-diaminoanisol	615-05-4	30	ND	ND
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND	ND
10	3,3'-Dichlorobenzidine	91-94-1	30	ND	ND
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND	ND ND
12	3,3'-Dimethylbenzidine	119-93-7	30	ND	ND
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND +	ND
14	p-cresinin	120-71-8	30	ND	ND
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND	ND
16	4,4'-Oxydianiline	101-80-4	30	ND Cur	ND
17	4,4'-Thiodianiline	139-65-1	30	ND	ND
18	o-Toluidine	95-53-4	30	ND	ND
19	2,4-Toluylendiamine	95-80-7	30	ND A	ND
20	2,4,5 – Trimethylaniline	137-17-7	30	ND	ND
21	o-anisidine	90-04-0	30	- ND	ND
22	4-aminoazobenzene	60-09-3	30	ND	ND
23	2,4-Xylidin	95-68-1	30	ND (ND
24	2,6-Xylidin	87-62-7	30	AND AN	ND
EV	Conclusion		A A	Pass	Pass



No.	Amines Substances	CAS No.	_ Limit +	Result (mg/kg)	
NO.			(mg/kg)	No.3+No.11+No.12	
1	4-Aminobiphenyl	92-67-1	30	ND*	
2	Benzidine	92-87-5	30	ND*	
3	4-chloro-o-Toluidine	95-69-2	30	ND*	
4	2-Naphthylamine	91-59-8	30	MU MD*	
5	o-Aminoazotoluene	97-56-3	30	ND*	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	
7	p-Chloroaniline	106-47-8	30	ND*	
8	2,4-diaminoanisol	615-05-4	30	ND*	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	
14	p-cresinin	120-71-8	30	ND*	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	
16	4,4'-Oxydianiline	101-80-4	30	ND*	
17	4,4'-Thiodianiline	139-65-1	30	ND*	
18	o-Toluidine	95-53-4	30	ND*	
19	2,4-Toluylendiamine	95-80-7	30	ND*	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	
21	o-anisidine	90-04-0	30	ND*	
22	4-aminoazobenzene	60-09-3	30	ND*	
23	2,4-Xylidin	95-68-1	30	ND*	
24	2,6-Xylidin	87-62-7	30	ND*	
100	Conclusion	-2et	18t- 5th	Pass	



No.	Amines Substances	CAS No.	Limit	Result (mg/kg)		
			(mg/kg)	No.10	No.13+No.14	
1	4-Aminobiphenyl	92-67-1	30	ND +	ND*	
2	Benzidine	92-87-5	30	ND	ND*	
3	4-chloro-o-Toluidine	95-69-2	30	ND	ND*	
4	2-Naphthylamine	91-59-8	30	an ND	ND*	
5	o-Aminoazotoluene	97-56-3	30	ND	ND*	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND	ND*	
7	p-Chloroaniline	106-47-8	30	ND OF	ND*	
8	2,4-diaminoanisol	615-05-4	30	ND	ND*	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND	ND*	
10	3,3'-Dichlorobenzidine	91-94-1	30	ND	ND*	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND	ND*	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND	ND*	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND N	ND*	
14	p-cresinin	120-71-8	30	ND	ND*	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND ND	ND*	
16	4,4'-Oxydianiline	101-80-4	30	ND	ND*	
17	4,4'-Thiodianiline	139-65-1	30	ND	ND*	
18	o-Toluidine	95-53-4	30	ND	ND*	
19	2,4-Toluylendiamine	95-80-7	30	ND	ND*	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND	ND*	
21	o-anisidine	90-04-0	30	ND.	ND*	
22	4-aminoazobenzene	60-09-3	30	ND	ND*	
23	2,4-Xylidin	95-68-1	30	ND	ND*	
24	2,6-Xylidin	87-62-7	30	ND	ND*	
N. C.	Conclusion	ot	18t- 50	Pass	Pass	

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006
- "*" = Results are calculated by the minimum weight of mixed components.



5) Colour Fastness to Rubbing

Colour Fastness to Rubbing							
(ISO 105-X1	2: 2016; Size of rubbin	ng finger: 16	mm diame	eter.)		. A	at at
are, an	2/1 2/1 /	No.1	No.2	No.10	No.13	No.14	Client's Limit
Languith	Dry staining	4-5	4-5	4-5	4-5	4-5	2-3
Length	Wet staining	4-5	4-5	4-5	4-5	4-5	2-3
\ \ / : al4la	Dry staining	4-5	7.C±	4-5	4-5	4-5	2-3
Width	Wet staining	4-5	n an	4-5	4-5	4-5	2-3
Conclusion	24. 20. 2.	Pass	Pass	Pass	Pass	Pass	The The


Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.





Photograph of parts tested:





Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

