



Item number MO9393-05

Item description

Push button stylus pen in aluminium. When the logo is engraved on to the barrel, the colour revealed matches the colour of the touch tip. Blue ink.

Part	Component description	Position	Material	Weight Percentage
1	Barrel	External	Aluminium	72,44%
2	End Cap	External	Silicone	0,84%
3	Push button tube	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	2,79%
4	Spring	Internal	Iron	1,11%
5	Pen nozzle	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	3,07%
6	Thrust device	Internal	Polypropylene (PP)	1,23%
7	Ink chamber	Internal	Polypropylene (PP)	5,02%
8	Ink	Internal	See Part II	0,95%
9	Tip	External	Copper	1,23%
10	Metal clip	External	Iron	7,64%
11	Black coating	External	Rubber, chlorinated	1,39%
12	Thrust device	Internal	Polyoxymethylene (POM)	1,34%
13	Spring	Internal	Iron	0,95%

Part II	Component description	Position	Material	Weight Percentage
	2-phenoxyethanol	-	2-phenoxyethanol	50,00%
	2-methylpentane-2,4-diol	-	2-methylpentane-2,4-diol	10,00%
	Benzyl alcohol	-	Benzyl alcohol	10,00%
	Solvent violet 8	-	Solvent violet 8	10,00%
	C.I. Solvent Blue 4	-	C.I. Solvent Blue 4	10,00%
	Phosphoric acid mono-bis-(2-ethlhexyl)-ester	-	Phosphoric acid mono-bis-(2-ethylhexyl)-ester	10,00%
			Total	100,00%



Material information Petrochemical		Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, <u>ABS</u> , VI, <u>Silicone</u> , <u>POM</u> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	⊠Yes	□No

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















Trademarks of material

_

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

_

Packaging and Transport

	Piece	Inner Carton	Carton	mo box	Polybag	Packaging
	1	50	600			-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9393-12

Item description

Push button stylus pen in aluminium. When the logo is engraved on to the barrel, the colour revealed matches the colour of the touch tip. Blue ink.

Part	Component description	Position	Material	Weight Percentage
1	Barrel	External	Aluminium	72,44%
2	End Cap	External	Silicone	0,84%
3	Push button tube	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	2,79%
4	Spring	Internal	Iron	1,11%
5	Pen nozzle	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	3,07%
6	Thrust device	Internal	Polypropylene (PP)	1,23%
7	Ink chamber	Internal	Polypropylene (PP)	5,02%
8	Ink	Internal	See Part II	0,95%
9	Tip	External	Copper	1,23%
10	Metal clip	External	Iron	7,64%
11	Black coating	External	Rubber, chlorinated	1,39%
12	Thrust device	Internal	Polyoxymethylene (POM)	1,34%
13	Spring	Internal	Iron	0,95%

Part II	Component description	Position	Material	Weight Percentage
	2-phenoxyethanol	-	2-phenoxyethanol	50,00%
	2-methylpentane-2,4-diol	-	- 2-methylpentane-2,4-diol	
	Benzyl alcohol	-	- Benzyl alcohol	
	Solvent violet 8	-	Solvent violet 8	10,00%
	C.I. Solvent Blue 4	-	C.I. Solvent Blue 4	10,00%
	Phosphoric acid mono-bis-(2-ethlhexyl)-ester	-	Phosphoric acid mono-bis-(2-ethylhexyl)-ester	10,00%
			Total	100,00%



Material information Petrochemical		Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, <u>ABS</u> , VI, <u>Silicone</u> , <u>POM</u> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	⊠Yes	□No

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















Trademarks of material

_

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

_

Packaging and Transport

· working and realisport						
	Piece	Inner Carton	Carton	mo box	Polybag	Packaging
	1	50	600			-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9393-14

Item description

Push button stylus pen in aluminium. When the logo is engraved on to the barrel, the colour revealed matches the colour of the touch tip. Blue ink.

Part	Component description	Position	Material	Weight Percentage
1	Barrel	External	Aluminium	72,44%
2	End Cap	External	Silicone	0,84%
3	Push button tube	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	2,79%
4	Spring	Internal	Iron	1,11%
5	Pen nozzle	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	3,07%
6	Thrust device	Internal	Polypropylene (PP)	1,23%
7	Ink chamber	Internal	Polypropylene (PP)	5,02%
8	Ink	Internal	See Part II	0,95%
9	Tip	External	Copper	1,23%
10	Metal clip	External	Iron	7,64%
11	Black coating	External	Rubber, chlorinated	1,39%
12	Thrust device	Internal	Polyoxymethylene (POM)	1,34%
13	Spring	Internal	Iron	0,95%

Part II	Component description	Position	Material	Weight Percentage
	2-phenoxyethanol	-	2-phenoxyethanol	50,00%
	2-methylpentane-2,4-diol	-	2-methylpentane-2,4-diol	10,00%
	Benzyl alcohol	-	Benzyl alcohol	10,00%
	Solvent violet 8	-	Solvent violet 8	10,00%
	C.I. Solvent Blue 4	-	C.I. Solvent Blue 4	10,00%
	Phosphoric acid mono-bis-(2-ethlhexyl)-ester	-	Phosphoric acid mono-bis-(2-ethylhexyl)-ester	10,00%
			Total	100,00%



Material information Petrochemical		Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, <u>ABS</u> , VI, <u>Silicone</u> , <u>POM</u> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	⊠Yes	□No

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















Trademarks of material

_

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

_

Packaging and Transport

i dottagnig dita i anoport						
	Piece	Inner Carton	Carton	mo box	Polybag	Packaging
	1	50	600			-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9393-19

Item description

Push button stylus pen in aluminium. When the logo is engraved on to the barrel, the colour revealed matches the colour of the touch tip. Blue ink.

Part	Component description	Position	Material	Weight Percentage
1	Barrel	External	Aluminium	72,44%
2	End Cap	External	Silicone	0,84%
3	Push button tube	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	2,79%
4	Spring	Internal	Iron	1,11%
5	Pen nozzle	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	3,07%
6	Thrust device	Internal	Polypropylene (PP)	1,23%
7	Ink chamber	Internal	Polypropylene (PP)	5,02%
8	Ink	Internal	See Part II	0,95%
9	Tip	External	Copper	1,23%
10	Metal clip	External	Iron	7,64%
11	Black coating	External	Rubber, chlorinated	1,39%
12	Thrust device	Internal	Polyoxymethylene (POM)	1,34%
13	Spring	Internal	Iron	0,95%

Part II	Component description	Position	Material	0,00%
	2-phenoxyethanol	-	2-phenoxyethanol	50,00%
	2-methylpentane-2,4-diol	-	- 2-methylpentane-2,4-diol	
	Benzyl alcohol	-	Benzyl alcohol	10,00%
	Solvent violet 8	-	Solvent violet 8	10,00%
	C.I. Solvent Blue 4	-	C.I. Solvent Blue 4	10,00%
	Phosphoric acid mono-bis-(2-ethlhexyl)-ester	-	Phosphoric acid mono-bis-(2- ethylhexyl)-ester	10,00%
			Total	100,00%



Material information Petrochemical		Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, <u>ABS</u> , VI, <u>Silicone</u> , <u>POM</u> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	⊠Yes	□No	

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















Trademarks of material

_

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

_

Packaging and Transport

	Piece	Inner Carton	Carton	mo box	Polybag	Packaging
	1	50	600			-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9393-48

Item description

Push button stylus pen in aluminium. When the logo is engraved on to the barrel, the colour revealed matches the colour of the touch tip. Blue ink.

Part	Component description	Position	Material	Weight Percentage
1	Barrel	External	Aluminium	72,44%
2	End Cap	External	Silicone	0,84%
3	Push button tube	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	2,79%
4	Spring	Internal	Iron	1,11%
5	Pen nozzle	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	3,07%
6	Thrust device	Internal	Polypropylene (PP)	1,23%
7	Ink chamber	Internal	Polypropylene (PP)	5,02%
8	Ink	Internal	See Part II	0,95%
9	Tip	External	Copper	1,23%
10	Metal clip	External	Iron	7,64%
11	Black coating	External	Rubber, chlorinated	1,39%
12	Thrust device	Internal	Polyoxymethylene (POM)	1,34%
13	Spring	Internal	Iron	0,95%

Part II	Component description	Position	Material	Weight Percentage
	2-phenoxyethanol	-	2-phenoxyethanol	50,00%
	2-methylpentane-2,4-diol	-	2-methylpentane-2,4-diol	10,00%
	Benzyl alcohol -		Benzyl alcohol	10,00%
	Solvent violet 8	-	Solvent violet 8	10,00%
	C.I. Solvent Blue 4	-	C.I. Solvent Blue 4	10,00%
	Phosphoric acid mono-bis-(2-ethlhexyl)-ester	-	Phosphoric acid mono-bis-(2- ethylhexyl)-ester	10,00%
			Total	100,00%



Material information Petrochemical		Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, <u>ABS</u> , VI, <u>Silicone</u> , <u>POM</u> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	⊠Yes	□No

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















Trademarks of material

_

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

_

Packaging and Transport

- working with the control of the co						
	Piece	Inner Carton	Carton	mo box	Polybag	Packaging
	1	50	600			-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO9393-98

Item description

Push button stylus pen in aluminium. When the logo is engraved on to the barrel, the colour revealed matches the colour of the touch tip. Blue ink.

Part	Component description	Position	Material	Weight Percentage
1	Barrel	External	Aluminium	72,44%
2	End Cap	External	Silicone	0,84%
3	Push button tube	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	2,79%
4	Spring	Internal	Iron	1,11%
5	Pen nozzle	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	3,07%
6	Thrust device	Internal	Polypropylene (PP)	1,23%
7	Ink chamber	Internal	Polypropylene (PP)	5,02%
8	Ink	Internal	See Part II	0,95%
9	Tip	External	Copper	1,23%
10	Metal clip	External	Iron	7,64%
11	Black coating	External	Rubber, chlorinated	1,39%
12	Thrust device	Internal	Polyoxymethylene (POM)	1,34%
13	Spring	Internal	Iron	0,95%

Part II	Component description	Position	Material	Weight Percentage
0	2-phenoxyethanol	-	2-phenoxyethanol	50,00%
	2-methylpentane-2,4-diol	-	2-methylpentane-2,4-diol	10,00%
	Benzyl alcohol	-	Benzyl alcohol	10,00%
	Solvent violet 8	-	Solvent violet 8	10,00%
	C.I. Solvent Blue 4	-	C.I. Solvent Blue 4	10,00%
	Phosphoric acid mono-bis- (2-ethlhexyl)-ester	-	Phosphoric acid mono-bis-(2-ethylhexyl)-ester	10,00%
			Total	100,00%



Material information Petrochemical		Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, <u>ABS</u> , VI, <u>Silicone</u> , <u>POM</u> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	⊠Yes	□No

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















Trademarks of material

_

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

_

Packaging and Transport

- deragning dies indire vert						
	Piece	Inner Carton	Carton	mo box	Polybag	Packaging
	1	50	600			-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela