

# **Test Report**

Report No. : AGC05443221106-001

- **SAMPLE NAME** : Cotton Lanyard with metal hook
- MODEL NAME : MO6830
- **APPLICANT** : MID OCEAN BRANDS B.V
- **STANDARD(S)** : Please refer to the following page(s).
- DATE OF ISSUE : Nov. 14, 2022





Applicant	:	MID OCEAN BRANDS B.V
Address	:	7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.
Test Site	:	6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng
		Street, Bao'an District, Shenzhen, Guangdong, China

#### Report on the submitted sample(s) said to be:

:	Cotton Lanyard with metal hook
:	MO6830
:	117486
:	CHINA
:	EUROPE
:	Nov. 04, 2022
:	Nov. 04, 2022 to Nov. 14, 2022
:	Selected test(s) as requested by client.
	::

#### **Test Requested:**

Conclusion

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63 - Lead(Pb) Content	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23	
-Cadmium(Cd) Content	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43	Pass
- Aromatic Amines Azodyes (AZO) Content	
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50 -Polycyclic-aromatic Hydrocarbons (PAHs) Content	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52	Pass
- Phthalates Content	1 400
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 27	Pass
- Nickel Release	1 455
- Formaldehyde Release	Pass
- Colour fastness to rubbing	Pass

menguotua Approved by

Approved by : Jossie ling

Huangguohua

Vice Laboratory Manager

Liangdan, Jessie.Liang

**Technical Director** 



#### Report Revise Record

 L								
Report Version	Issued Date	Valid Version	Notes					
/	Nov. 14, 2022	Valid	Initial release					



# The photo of the sample



The photo of AGC05443221106-001 is for use only with the original report.

## **Test Point Description**

rese i onte Description	
Test point	Test point description
1-1	Carabiner
1-2	Bamboo
1-3	Metal buckle
1-4	Kakki rope
1-5	White plastic



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit %= percentage (W/W)

#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

#### - Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit Limit		MDI	Test Result(s)		
Test Item(s)	Unit	Limit	MDL	1-1	1-2	1-3
Lead(Pb)	mg/kg	500	10	76	N.D.	N.D.
Con	Conformity	Conformity	Conformity			

Test Item (s)	Linit	Limit	MDL	Test Result(s)		
Test Item(s)	Unit		MDL	1-4	1-5	
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	
Con	Conformity	Conformity				

#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

## -Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(a)	Unit	Limit	MDL	Test Result(s)		
Test Item(s)	Unit	Limit	MDL	1-4	1-5	
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.	
Con	Conformity	Conformity				



## Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43

## - Aromatic Amines Azodyes (AZO) Content

Test Methods and Equipment: EN ISO 14362-1:2017; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-4
4-Aminobiphenyl CAS:92-67-1	mg/kg	30	5	N.D.
Benzidine CAS:92-87-5	mg/kg	30	5	N.D.
4-Chloro-o-toluidine CAS:95-69-2	mg/kg	30	5	N.D.
2-Naphthylamine CAS:91-59-8	mg/kg	30	5	N.D.
o-Aminoazotoluene CAS:97-56-3	mg/kg	30	5	N.D.
5-Nitro-o-toluidine CAS:99-55-8	mg/kg	30	5	N.D.
p-Chloroaniline CAS:106-47-8	mg/kg	30	5	N.D.
4-Methoxy-m-phenylenediamine CAS:615-05-4	mg/kg	30	5	N.D.
4,4'-Diaminodiphenylmethane CAS:101-77-9	mg/kg	30	5	N.D.
3,3'-Dichlorobenzidine CAS:91-94-1	mg/kg	30	5	N.D.
3,3'-Dimethoxybenzidine CAS:119-90-4	mg/kg	30	5	N.D.
3,3'-Dimethybenzidine CAS:119-93-7	mg/kg	30	5	N.D.
4,4'-Methylenedi-o-toluidine CAS:838-88-0	mg/kg	30	5	N.D.
p-Cresidine CAS:120-71-8	mg/kg	30	5	N.D.
4,4'-Methylenebis[2-chloroaniline] CAS:101-14-4	mg/kg	30	5	N.D.
4,4'-Oxydianiline CAS:101-80-4	mg/kg	30	5	N.D.
4,4'-Thiodianiline CAS:139-65-1	mg/kg	30	5	N.D.
2-Aminotoluene CAS:95-53-4	mg/kg	30	5	N.D.
2,4-Toluylendiamine CAS:95-80-7	mg/kg	30	5	N.D.
2,4,5-Trimethylaniline CAS:137-17-7	mg/kg	30	5	N.D.
o-Anisidine CAS:90-04-0	mg/kg	30	5	N.D.
4-Aminoazobenzene CAS:60-09-3	mg/kg	30	5	N.D.
	onclusion	1		Conformity



Note: 4-aminoazobenzene: The EN ISO 14362-1:2017 or ISO 17234-1:2020 methods will enable further cleavage of 4-aminoazobenzene to aniline and / or 1,4-phenylenediamine. If aniline and / or 1,4-phenylenediamine are detected, 4-aminoazobenzene shall be further determined by EN ISO 14362-3:2017 or ISO 17234-2:2011.

## Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

#### -Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-5
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.
Co	onclusion			Conformity

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	$\leq 1$	$\leq 1$	$\leq 0.5$
Benzo[e]pyrene(BeP)	192-97-2	/	$\leq 1$	$\leq 0.5$
Benzo[a]anthracene(BaA)	56-55-3	/	$\leq 1$	$\leq 0.5$
Benzo[b]fluoranthene(BbF)	205-99-2	/	$\leq 1$	$\leq 0.5$
Benzo[j]fluoranthene(BjFA)	205-82-3	/	$\leq 1$	$\leq 0.5$
Benzo[k]fluoranthene(BkF)	207-08-9	/	$\leq 1$	≤ 0.5
Chrysene(CHR)	218-01-9	/	$\leq 1$	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	$\leq 1$	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/

#### Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)



#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

## - Phthalates Content

Test Methods and Equipment: EN 14372:2004; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-5
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.01	N.D.
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.01	N.D.
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.01	N.D.
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.01	N.D.
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.01	N.D.
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.01	N.D.
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.01	N.D.
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.
Со	nclusion			Conformity

#### Limit requirements of Phthalates

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	DINP, DIDP, DNOP each less than 0.1%

Note: "\*" = As specified by client, this item is extra testing, this item is not included in above test requested.



## Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 27

- Nickel Release

Test Methods and Equipment: EN 12472:2020 & EN 1811:2011+A1:2015; ICP-OES

Test Point(s)	Parallel Sample	Unit	Limit	MDL	Test Result(s) Nickel Release	Conclusion
	А	µg/cm²/week	0.5	0.05	N.D.	
1-1	В	µg/cm²/week	0.5	0.05	N.D.	Conformity
	С	µg/cm²/week	0.5	0.05	N.D.	

#### Limit requirements of Nickel Release

Nickel Release			
Type of sample	Pass Fail		
Article with Nickel release limit of 0.5µg/cm <sup>2</sup> /week (Non-body piercing)	<0.88µg/cm <sup>2</sup> /week	≥0.88µg/cm <sup>2</sup> /week	
Article with Nickel release limit of 0.2µg/cm <sup>2</sup> /week (Body piercing)	<0.35µg/cm <sup>2</sup> /week	$\geq 0.35 \mu g/cm^2/week$	

#### - Formaldehyde Release

Test Methods and Equipment: EN 717-3:1996; UV-Vis

Test Item(s)	Unit	Client's	MDL	Test Result(s)
		limit	MDL	1-2
Formaldehyde Release	mg/kg	80	1	2
Conclusion				Conformity



Test Method: ISO 105-X12:2016

Rubbing finger: Cylinder

**The time of conditioning as well as the atmospheric conditions during testing:** 20 °C, 65 %R.H., 4 hrs **The long direction of the specimen:** Endwise/ Crossrange

The percentage of soak of wet rubbing cloth: 95%~100%


	Test l	Conclusion	
Test point	Colour fastness to		
	Dry rubbing	Wet rubbing	
1-4	4-5	4-5	Conformity
Limit (Client's Requirement)	≥2-3	≥2-3	/

Note:

Colour Fastness Grade: Grade 5 = No Colour Change (Best Grade) Grade 1 = Colour Change Seriously (Bad Grade)

9 grades in gray sample card: 5, 4-5, 4, 3-4, 3, 2-3, 2, 1-2, 1.







## **Test Flow Chart of Heavy Metal Content**




## **Test Flow Chart of AZO**














## **Test Flow Chart of Phthalates**







## **Test Flow Chart of Nickel Release**



## **Test Flow Chart of Formaldehyde Release**



## Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").

2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.

3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.

6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.

7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.

8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.

9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

\*\*\* End of Report \*\*\*

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd