

Test Report

Report No. : AGC05443221019-001

SAMPLE NAME: Mini bamboo torch with keyring

MODEL NAME : MO6894

APPLICANT: MID OCEAN BRANDS B.V

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Oct. 31, 2022

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Page 1 of 16

Applicant : MID OCEAN BRANDS B.V

7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Address

Test Site 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng

Street, Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name Mini bamboo torch with keyring

Model MO6894 Vendor code 114276 Country of Origin **CHINA** Country of Destination **EUROPE** Sample Received Date Oct. 20, 2022

Testing Period Oct. 20, 2022 to Oct. 28, 2022

Test Requested Selected test(s) as requested by client.

Test Requested: Conclusion

2011/65/EU (RoHS) and its amendment directive (EU) 2015/863

Pass - Pb, Cd, Hg, Cr⁶⁺, PBBs, PBDEs, DBP, BBP, DEHP, DIBP

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 27

Pass - Nickel Release

As specified by client, to determine the Formaldehyde Release content in the submitted

sample(s).

Pass

Approved by : Jossie Liang

Liangdan, Jessie.Liang


Technical Director



Page 2 of 16


Report Revise Record

Report Version	Issued Date	Valid Version	Notes
/	Oct. 31, 2022	Valid	Initial release





The photo of AGC05443221019-001 is for use only with the original report.





Test Point Description

Test point	Test module	Test parts	Test point description	
灯 Model:	: MO6894			
1			Woody shell	
2		Outer shell	Grey plastic inner shell	
3		Outer shell	Milk white plastic shell	
4			Silver plated plastic shell	
5			Metallic ring	
6			Metallic chain	
7			Metal spring	
8			Black plastic buckle	
9		LED	Transparent LED	
10		LED	Pin	
11			Milk white plastic button	
12			Black plastic shell	
13		Key	Metallic base	
14			Metal spring	
15			Copper metallic sheet	
1-16			Keyring	
1-17			chain	
1-18			bamboo	

Note: "---" = The test point exists alone in the sample and is not attached to the test module or test parts.



Page 5 of 16

Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit %= percentage (W/W)


2011/65/EU (RoHS) and its amendment directive (EU) 2015/863

- Pb, Cd, Hg, Cr⁶⁺, PBBs, PBDEs, DBP, BBP, DEHP, DIBP

	Pb, Cd, Hg, Cro+, PBBs, PBDEs, DBP, BBP, DEHP, DIBP				
Test Item	Test Method/ Instrument	MDL	Maximum Limit		
Lead (Pb)		/	1000mg/kg		
Cadmium (Cd)		/	100mg/kg		
Mercury (Hg)	IEC 62321-3-1:2013/ XRF	/	1000mg/kg		
Total Chromium		/	/		
Total Bromine		/	/		
Chemistry Method		•			
Lead (Pb)	IEC 62321-5:2013/ ICP-OES	10mg/kg	1000mg/kg		
Cadmium (Cd)	IEC 62321-5:2013/ ICP-OES	10mg/kg	100mg/kg		
Mercury (Hg)	IEC 62321-4: 2013+A1:2017/ ICP-OES	10mg/kg	1000mg/kg		
Non-metal Hexavalent Chromium (Cr ⁶⁺)	IEC 62321-7-2:2017/ UV-Vis	8mg/kg	1000mg/kg		
Metal Hexavalent Chromium (Cr ⁶⁺)	IEC 62321-7-1:2015/ UV-Vis	0.1µg/cm ²	/		
Polybrominated Biphenyls (PBBs) -Monobromobiphenyl (MonoBB) -Dibromobiphenyl (DiBB) -Tribromobiphenyl (TriBB) -Tetrabromobiphenyl (TetraBB) -Pentabromobiphenyl (PentaBB) -Hexabromobiphenyl (HexaBB) -Heptabromobiphenyl (HeptaBB) -Octabromobiphenyl (OctaBB) -Nonabromodiphenyl (NonaBB) -Decabromodiphenyl (DecaBB)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg		
PolybrominatedDiphenylethers (PBDEs) -Monobromodiphenyl ether (MonoBDE) -Dibromodiphenyl ether (DiBDE) -Tribromodiphenyl ether (TriBDE) -Tetrabromodiphenyl ether (TetraBDE) -Pentabromodiphenyl ether (PentaBDE) -Hexabromodiphenyl ether (HexaBDE) -Heptabromodiphenyl ether (HeptaBDE) -Octabromodiphenyl ether (OctaBDE) -Nonabromodiphenyl ether (NonaBDE) -Decabromodiphenyl ether (DecaBDE)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg		
Di-iso-butyl phthalate (DIBP)		50mg/kg	1000mg/kg		
Dibutyl phthalate (DBP)	1	50mg/kg	1000mg/kg		
Butylbenzyl phthalate (BBP)	IEC 62321-8:2017/ GC-MS	50mg/kg	1000mg/kg		
Di-(2-ethylhexyl) Phthalate (DEHP)	1	50mg/kg	1000mg/kg		


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/






Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	F	P b	BL	/	
	Cd		BL	/	
	ŀ	Ig	BL	/	
		Cr ⁶⁺)	BL	/	
1	Br	PBBs	BL	/	Conformity
		PBDEs		/	comormity
		BP	N/A	N.D.	
		BP	N/A	N.D.	
	BBP		N/A	N.D.	
		EHP	N/A	N.D.	
	Pb		BL	/	
	(Cd	BL	/	
		łg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
2	Br	PBBs	BL	/	Conformity
2	Di	PBDEs	DL	/	Comornity
	DI	BP	N/A	N.D.	
	D	BP	N/A	N.D.	
	B	BP	N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	C	Cd	BL	/	
	Hg		BL	/	
	Cr(Cr ⁶⁺)	BL	/	
3	Br	PBBs PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
	D	BP	N/A	N.D.	
		BP	N/A	N.D.	
		ЕНР	N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
	F	Ig	BL	/	
		Cr ⁶⁺)	IN	N.D.	
4	Br	PBBs PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		EHP	N/A	N.D.	






X-ray Fluorescence Wet Chemistry **Test point Test Item** Spectrometry (XRF) Method Conclusion mg/kg mg/kg Pb BLCd BLBLHg $Cr(Cr^{6+})$ BL**PBBs** 5 N/A Conformity Br **PBDEs** DIBP N/A N/A **DBP BBP** N/A **DEHP** N/A Pb BLCdBLBLHg $Cr(Cr^{6+})$ BL**PBBs** N/A 6 Br Conformity **PBDEs DIBP** N/A **DBP** N/A BBP N/A **DEHP** N/A Pb BLCdBLHg BL $Cr(Cr^{6+})$ BL**PBBs** 7 N/A Conformity Br **PBDEs** DIBP N/A **DBP** N/A **BBP** N/A **DEHP** N/A Pb BLCd BLBLHg $Cr(Cr^{6+})$ BL/ **PBBs** 8 Br BLConformity **PBDEs** N/A DIBP N.D. **DBP** N/A N.D. **BBP** N/A N.D. **DEHP** N/A N.D.





Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	J	Pb	BL	/	
	Cd		BL	/	
	I	Нg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
9	Br	PBBs	IN	N.D.	Conformity
9	DI	PBDEs	IIN	N.D.	Conformity
	D	IBP	N/A	N.D.	
	D	BP	N/A	N.D.	
		BP	N/A	N.D.	
	DI	EHP	N/A	N.D.	
		Pb	BL	/	
_	Cd		BL	/	
		-Ig	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
10	Br	PBBs	N/A	/	Conformity
		PBDEs		/	Comoning
_		IBP	N/A	/	
-	DB		N/A	/	
		BP	N/A	/	
	DEHP		N/A	/	
_	Pb		BL	/	
		Cd	BL	/	
	Hg		BL	/	
-	Cr(Cr ⁶⁺)	BL	/	
11	Br	PBBs PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
	D	BP	N/A	N.D.	
	В	BP	N/A	N.D.	
	DI	ЕНР	N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
		-Ig	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
12	Br	PBBs PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
	D	BP	N/A	N.D.	
	В	BP	N/A	N.D.	
	DI	ЕНР	N/A	N.D.	





Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	Pb		IN	N.D.	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr ⁶⁺)		BL	/	
13	Br	PBBs	N/A	/	Conformity
13	DI	PBDEs	IV/A	/	Comorning
	D	IBP	N/A	/	
	D	BP	N/A	/	
	В	BP	N/A	/	
	DI	ЕНР	N/A	/	
	Pb		BL	/	
	(Cd	BL	/	
		łg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
14	Br	PBBs	N/A	/	Conformity
14	14 Bi	PBDEs		/	Comornity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DI	EHP	N/A	/	
	I	Pb	BL	/	
	Cd		BL	/	
	H ₁		BL	/	
			BL	/	
15 Br	D.	PBBs	N T / A	/	Conformity
13	Br PBDEs		N/A	/	Conformity
	D	IBP	N/A	/	
	D	BP	N/A	/	
	В	BP	N/A	/	
	DI	ЕНР	N/A	/	

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ <x <130+3σ≤OL</x 	BL≤70-3σ <x <130+3σ≤OL</x 	BL≤50-3σ <x <150+3σ≤OL</x
Pb	mg/kg	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤500-3σ <x <1500+3σ≤OL</x
Hg	mg/kg	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤500-3σ <x <1500+3σ≤OL</x
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>



Report No.: AGC05443221019-001 Page 10 of 16

Br mg/kg $BL \le 300-3\sigma \le X$ N/A BL	BL \leq 250-3 σ <x< th=""></x<>
--	--

Remark:

- (1) BL= Below Limit, OL= Over limited, IN = Inconclusive, Scanning by XRF and detected by chemical method, N/A = Not applicable.
- (2) Results were obtained by XRF for primary scanning, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the above warning value.
- (3) The XRF scanning test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- (4) Boiling-water-extraction:(X represents the results of the tested sample)

Number	Colorimetric result (Cr(VI) concentration)	Judgement
1	$X < 0.1 \mu g/cm^2$	Negative
2	0.1μg/cm ² ≤X≤0.13μg/cm ²	Uncertainty
3	$X > 0.13 \mu g/cm^2$	Positive

Negative indicates the absence of Cr(VI) on the tested areas concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.

Uncertainty indicates the absence of Cr(VI) on the tested areas unavoidable coating variations may influence the determination.

Positive indicates the presence of Cr(VI) on the tested areas concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent status of the sample at the time of testing.

(5) Disclaimers: This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 27

- Nickel Release

Test Methods and Equipment: EN 12472:2020 & EN 1811:2011+A1:2015; ICP-OES

Test Point(s)	Parallel Sample	Unit	Limit	MDL	Test Result(s) Nickel Release	Conclusion
	A	μg/cm²/week	0.5	0.05	N.D.	
1-16	В	μg/cm²/week	0.5	0.05	N.D.	Conformity
	С	μg/cm²/week	0.5	0.05	N.D.	
	A	μg/cm²/week	0.5	0.05	N.D.	
1-17	В	μg/cm²/week	0.5	0.05	N.D.	Conformity
	С	μg/cm²/week	0.5	0.05	N.D.	



Page 11 of 16

Limit requirements of Nickel Release


Nickel Release				
Type of sample	Pass	Fail		
Article with Nickel release limit of	z0.99 / 2/ 1	>0.00 / 2/ 1		
0.5μg/cm²/week (Non-body piercing)	<0.88μg/cm ² /week	≥0.88µg/cm²/week		
Article with Nickel release limit of	20.25	>0.25/2/1-		
0.2μg/cm ² /week (Body piercing)	<0.35µg/cm ² /week	$\geq 0.35 \mu g/cm^2/week$		


Test Result of Formaldehyde Release

Test Item(s)	Formaldehyde Release
Limit (Client's Requirement) (mg/kg)	80
MDL (mg/kg)	1
Test Method/ Equipment	EN717-3:1996/ UV-Vis

Test point	Test result (mg/kg)	Conclusion
	Formaldehyde Release	
1-18	N.D.	Conformity


Test Flow Chart of XRF









Test Flow Chart of Phthalates









Test Flow Chart of Hexavalent Chromium (Cr6+)









Test Flow Chart of PBBs and PBDEs








Test Flow Chart of Lead, Cadmium and Mercury




These sample were dissolved totally by pre-conditioning method according to above flow chart





Test Flow Chart of Nickel Release



*** End of Report ***



Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.