

RoHS Test Report

Report No. : AGC12440230905-002

- **SAMPLE NAME** : WIRELESS SPEAKER
- MODEL NAME : MO8726, MO9608
- **APPLICANT** : Mid Ocean Brands B.V.
- **STANDARD(S)** : Please refer to the following page(s).
- DATE OF ISSUE : Oct. 16, 2023

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.







| Applicant | : | Mid Ocean Brands B.V. |
|-----------|---|--------------------------------------------------------------------|
| Address | : | 7/F.,King Tower,111King Lam Street,Cheung ShaWan,Kowloon,HongKong. |
| Test Site | | 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, |
| lest Sile | : | Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China |

Report on the submitted sample(s) said to be:

| | | F (<i>a</i>) <i>aaaaaaaa</i> - |
|----------------------|---|--------------------------------------------------------------------|
| Sample Name | : | WIRELESS SPEAKER |
| Model | : | MO8726, MO9608 |
| Manufacturer | : | Mid Ocean Brands B.V. |
| Address | : | 7/F.,King Tower,111King Lam Street,Cheung ShaWan,Kowloon,HongKong. |
| Factory | : | Mid Ocean Brands B.V. |
| Address | : | 7/F.,King Tower,111King Lam Street,Cheung ShaWan,Kowloon,HongKong. |
| Sample Received Date | : | Oct. 08, 2023 |
| Testing Period | : | Oct. 08, 2023 to Oct. 16, 2023 |
| | | |

Test Requested:

Conclusion

As specified by client, to determine the Pb, Cd, Hg, Cr⁶⁺, PBBs, PBDEs, DBP, BBP, DEHP, DIBP content in the submitted sample in accordance with Directive 2011/65/EU (RoHS) and its amendment directive (EU) 2015/863 on XRF and Chemical Method.

Pass

Approved by : Jessie ling

Liangdan, Jessie.Liang

Technical Director



Report Revise Record

| Report Version | Issued Date | Valid Version | Notes |
|----------------|---------------|---------------|-----------------|
| / | Oct. 16, 2023 | Valid | Initial release |



Test Point Description

| Test point | Test module | Test parts | Test point description |
|--------------|--------------------|--------------------|-------------------------------|
| Bluetooth sp | eaker main test mo | odel: MO8726 | |
| 1 | | | Black coating |
| 2 | | | Metal sound network |
| 3 | | | Milk white plastic shell |
| 4 | | Shell | Transparent lamp column |
| 5 | | | Black foam with adhesive |
| 6 | | | Green coating |
| 7 | | | Metal shell |
| 8 | | | T iron |
| 9 | | | Black magnet |
| 10 | | | Metal frame |
| 11 | | | White connecting piece |
| 12 | | Horn | Tin solder |
| 13 | | _ | White wire jacket |
| 14 | | — | Blue wire jacket |
| 15 | | _ | Black globe-roof |
| 16 | | _ | Black rubber vibrating film |
| 17 | | | Black plastic audio connector |
| 18 | | | Black plastic knob switch |
| 19 | | Knob switch | Metal shell |
| 20 | | | Black plastic toggle switch |
| 21 | | Toggle Switch | Metal shell |
| 22 | - | | Metal shell |
| 23 | Circuit board | Memory card holder | Grey plastic seat |
| 24 | - | | TYPE-C metal connector |
| 25 | | Type-C connector | Grey plastic joint |
| 26 | | | IC body |
| 27 | | | Soldered metal pins |
| 28 | | | PCB board |
| 29 | | | Tin solder |
| 30 | | | PCB board |
| 31 | | | Tin solder |
| 32 | | - Battery | Black wire jacket |
| 33 | | | Red wire jacket |
| USB cable | | | - |
| 34 | | | USB metal plug |
| 35 | | | White plastic plug |
| 36 | | USB plug | Tin solder |
| 37 | | 7 | Black handle |
| 38 | | | Type-c metal plug |
| 39 | | Type-C plug | Grey plastic plug |
| 40 | | | Tin solder |
| 41 | | XX 7' 1 | Black outer wire jacket |
| 42 | 1 | - Wire rod | Black wire jacket |

| Test point | Test module | Test parts | Test point description |
|-------------|-------------|------------|-------------------------|
| 43 | | | Red wire jacket |
| Audio cable | | · | |
| 44 | | | Metal plug |
| 45 | | | Black plastic plug |
| 46 | | Audio plug | Metal ring |
| 47 | | | Tin solder |
| 48 | | | Black handle |
| 49 | | | Black outer wire jacket |
| 50 | | Wire rod | Black wire jacket |
| 51 | | wherou | Red wire jacket |
| 52 | | | White wire jacket |
| Difference | | | |
| 53 | | Blue | Blue coating |
| 54 | | Red | Red coating |
| 55 | | Silvery | Silver coating |
| 56 | | Orange | Orange coating |
| 57 | | | White coating |
| 58 | | White | Wooden shell |
| 59 | | vv IIIte | White plastic shell |
| 60 | | | White rubber pad |

Note: "---" = The test point exists alone in the sample and is not attached to the test module or test parts.

| Test Result: | |
|---------------------|--|
|---------------------|--|

AGC

| Test | | | | Т | lest resu | lt (mg/kg | g) | | | | |
|-------|------|------|------|------------------|-----------|-----------|-------|-------|-------|-------|------------|
| point | Pb | Cd | Hg | Cr ⁶⁺ | PBBs | PBDEs | DIBP | DBP | BBP | DEHP | Conclusion |
| 1 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 2 | N.D. | N.D. | N.D. | N.D. | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 3 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 4 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 5 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 6 | N.D. | N.D. | N.D. | 345 | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 7 | 248 | N.D. | N.D. | N.D. | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 8 | N.D. | N.D. | N.D. | N.D. | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 9 | N.D. | N.D. | N.D. | N.D. | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 10 | N.D. | N.D. | N.D. | N.D. | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 11 | N.D. | N.D. | N.D. | 244 | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 12 | 382 | N.D. | N.D. | N.D. | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |

| Test | | | | Т | lest resu | lt (mg/kg | g) | | | | <i>a</i> |
|-------|------|------|------|------------------|-----------|-----------|-------|-------|-------|-------|------------|
| point | Pb | Cd | Hg | Cr ⁶⁺ | PBBs | PBDEs | DIBP | DBP | BBP | DEHP | Conclusion |
| 13 | N.D. | N.D. | N.D. | 272 | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 14 | N.D. | N.D. | N.D. | 406 | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 15 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 16 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 17 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 18 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 19 | N.D. | N.D. | N.D. | N.D.* | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 20 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 21 | N.D. | N.D. | N.D. | N.D. | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 22 | N.D. | N.D. | N.D. | N.D.* | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 23 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 24 | N.D. | N.D. | N.D. | N.D.* | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 25 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 26 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 27 | N.D. | N.D. | N.D. | N.D. | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 28 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 29 | N.D. | N.D. | N.D. | N.D. | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 30 | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 31 | N.D. | N.D. | N.D. | N.D. | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 32 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | 95* | N.D.* | N.D.* | Conformity |
| 33 | N.D. | N.D. | N.D. | 421 | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 34 | N.D. | N.D. | N.D. | N.D. | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 35 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 36 | 216 | N.D. | N.D. | N.D. | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 37 | N.D. | N.D. | N.D. | 298 | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 38 | N.D. | N.D. | N.D. | N.D.* | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 39 | N.D. | N.D. | N.D. | 278 | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 40 | N.D. | N.D. | N.D. | N.D. | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 41 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

R

AGC

| Test | Test result (mg/kg) | | | | | | | | | | |
|-------|---------------------|------|------|------------------|------|-------|-------|-------|-------|-------|------------|
| point | Pb | Cd | Hg | Cr ⁶⁺ | PBBs | PBDEs | DIBP | DBP | BBP | DEHP | Conclusion |
| 42 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | 148* | Conformity |
| 43 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | 145* | Conformity |
| 44 | 27152* | N.D. | N.D. | N.D. | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 45 | N.D. | N.D. | N.D. | 261 | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 46 | 297 | N.D. | N.D. | N.D. | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 47 | N.D. | N.D. | N.D. | N.D. | N/A | N/A | N/A | N/A | N/A | N/A | Conformity |
| 48 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 49 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 50 | N.D. | N.D. | N.D. | 210 | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 51 | N.D. | N.D. | N.D. | 369 | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 52 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 53 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 54 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 55 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 56 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 57 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 58 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 59 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |
| 60 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D.* | N.D.* | N.D.* | N.D.* | Conformity |

Note:

AGC

mg/kg = milligram per kilogram MDL = Method Detection Limit N/A= Not applicable μ g/cm² = microgram per square centimeter N.D.=Not Detected (less than method detection limit)

Exemption

| Test point | Exemption clause | Content |
|------------|------------------|--------------------------------------------------|
| 44 | 6(c) | Copper alloy containing up to 4 % lead by weight |



Remark:

- *denotes as reported result(s) was (were) performed by wet chemistry method. Others were screened by XRF. For XRF screening, the result(s) of Cr VI was (were) reported as total chromium and the result(s) of PBBs and PBDEs was (were) reported as total bromine. Also, the XRF result(s) may be different to the actual content based on various factors including, but not limit to, sample size, thickness, area, nonuniformity composition, surface flatness.
- This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

- Boiling-water-extraction:

| Number | Colorimetric result (Cr(VI) concentration) | Qualitative result |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | The sample solution is <the 0,10="" cm<sup="" µg="">2 equivalent comparison standard solution</the> | The sample is negative for Cr(VI) –The Cr(VI)concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating. |
| 2 | The sample solution is \geq the 0,10 µg/cm ² and \leq the 0,13 µg/cm ² equivalent comparison standard solutions | The result is considered to be inconclusive – Unavoidable coating variations may influence the determination. |
| 3 | The sample solution is > the 0,13 μ g/cm ² equivalent comparison standard solution | The sample is positive for $Cr(VI)$ – The $Cr(VI)$ concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain $Cr(VI)$. |

- Negative indicates the absence of Cr(VI) on the tested areas concentration is below the limit of quantification.

The coating is considered a non-Cr(VI) based coating.

Uncertainty indicates the absence of Cr(VI) on the tested areas unavoidable coating variations may influence the determination.


Positive indicates the presence of Cr(VI) on the tested areas concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI). Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent status of the sample at the time of testing.



| Test Item | Test Method/ Instrument | MDL | Maximum Limit |
|--------------------------------------------------------------|-----------------------------|------------------|------------------|
| X-ray Fluorescence Spectrometry(XRF) | | | |
| Lead (Pb) | IEC 62321-3-1:2013 / XRF | / | 1000mg/kg |
| Cadmium (Cd) | | / | 100mg/kg |
| Mercury (Hg) | | / | 1000mg/kg |
| Total Chromium | | / | / |
| Total Bromine | | / | / |
| Wet Chemistry Method | | , | , |
| Lead (Pb) | IEC 62321-5:2013/ICP-OES | 2mg/kg | 1000mg/kg |
| Cadmium (Cd) | IEC 62321-5:2013/ICP-OES | 2mg/kg | 1000mg/kg |
| | IEC 62321-9:2013/ IEI -OES | | |
| Mercury (Hg) | ICP-OES | 2mg/kg | 1000mg/kg |
| Non-metal | | 9 | 1000 // |
| Hexavalent Chromium (Cr ⁶⁺) | IEC 62321-7-2:2017/ UV-Vis | 8mg/kg | 1000mg/kg |
| Metal | IEC 62321-7-1:2015/UV-Vis | $0.1 \mu g/cm^2$ | / |
| Hexavalent Chromium (Cr ⁶⁺) | IEC 02321-7-1.2013/ 0 v-vis | 0.1µg/cm⁻ | / |
| Polybrominated Biphenyls (PBBs) | | Single 5mg/kg | Sum 1000mg/kg |
| -Monobromobiphenyl (MonoBB) | IEC 62321-6:2015/ GC-MS | | |
| -Dibromobiphenyl (DiBB) | | | |
| -Tribromobiphenyl (TriBB) | | | |
| -Tetrabromobiphenyl (TetraBB) | | | |
| -Pentabromobiphenyl (PentaBB) | | | |
| -Hexabromobiphenyl (HexaBB) | | | |
| -Heptabromobiphenyl (HeptaBB) -Octabromobiphenyl (OctaBB) | | | |
| -Nonabromodiphenyl (NonaBB) | | | |
| -Decabromodiphenyl (DecaBB) | | | |
| PolybrominatedDiphenylethers (PBDEs) | | | |
| -Monobromodiphenyl ether (MonoBDE) | IEC 62321-6:2015/ GC-MS | Single 5mg/kg | Sum 1000mg/kg |
| -Dibromodiphenyl ether (DiBDE) | | | |
| -Tribromodiphenyl ether (TriBDE) | | | |
| -Tetrabromodiphenyl ether (TetraBDE) | | | |
| -Pentabromodiphenyl ether (PentaBDE) | | | |
| -Hexabromodiphenyl ether (HexaBDE) | | | |
| -Heptabromodiphenyl ether (HeptaBDE) | | | |
| -Octabromodiphenyl ether (OctaBDE) | | | |
| -Nonabromodiphenyl ether (NonaBDE) | | | |
| -Decabromodiphenyl ether (DecaBDE) | | | |
| Di-iso-butyl phthalate (DIBP) | IEC 62321-8:2017/ GC-MS | 50mg/kg | 1000mg/kg |
| Dibutyl phthalate (DBP) | | 50mg/kg | 1000mg/kg |
| Butylbenzyl phthalate (BBP) | | 50mg/kg | 1000mg/kg |
| Di-(2-ethylhexyl) Phthalate (DEHP) | | 50mg/kg | 1000mg/kg |









These sample were dissolved totally by pre-conditioning method according to above flow chart (Cr^{6+} test method excluded)







The photo of the sample





Report No.: AGC12440230905-002 Page 11 of 13



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


 Attestation of Global Compliance(Shenzhen)Co., Ltd

 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


 Tel: +86-755 2523 4088
 E-mail: agc@agccert.com




Report No.: AGC12440230905-002 Page 12 of 13









AGC12440230905-002

AGC authenticate the photo only on original report *** End of Report ***



Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").

2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.

3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.

6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.

7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.

8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.

9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.