

SUSTAINABILITY DECLARATION



Item number
MO9469-03

Item description

LED bulb torch in ABS with keyring. 3 AG3 batteries included. The barrel includes a LED light to illuminate the engraved logo.

Material content

| Part | Component description | Position | Material | Weight Percentage |
|------|-----------------------|----------|--|-------------------|
| 1 | Decoration ring | Head | Acrylonitrile butadiene styrene (ABS) | 2,30% |
| 2 | Led cover | Head | 2-Propenoic acid, 2-methyl-, methyl ester, homopolymer | 7,67% |
| 3 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 5,08% |
| 4 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 6,04% |
| 5 | Fixed fittings | Outside | Acrylonitrile butadiene styrene (ABS) | 6,62% |
| 6 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 0,29% |
| 7 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 0,38% |
| 8 | Strings | Inside | Polyester | 0,48% |
| 9 | Spring | Inside | Iron | 0,77% |
| 10 | Spring | Inside | Iron | 0,96% |
| 11 | Battery | Inside | LR41 | 16,11% |
| 12 | LED | Inside | Semiconductor | 2,11% |
| 13 | Fixed fittings | Outside | Acrylonitrile butadiene styrene (ABS) | 5,08% |
| 14 | Shell | Outside | Acrylonitrile butadiene styrene (ABS) | 28,76% |
| 15 | Keyring | Outside | Iron | 17,35% |
| | | | Total | 100,00% |

| Material information | Petrochemical | Partly Biobased | Biobased |
|----------------------------|---|---|---|
| Non-biodegradable | PA, PC, PE, PP, PET, RPET, PS, PVC, ABS , VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester | PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex | Glass, Basalt Stone, Ceramic, Chalk |
| Biodegradable (industrial) | PBAT | PLA/BPAT | Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather |

| | | |
|----------------------------------|------------------------------|--|
| Recyclability of material | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
|----------------------------------|------------------------------|--|

Renewable source

| | | |
|---|---|---|
| Recycled material | Natural material | Reused waste material |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

| Piece | Inner Carton | Carton | mo box | Polybag | Packaging |
|-------|--------------|--------|--------|---------|-----------|
| 1 | 50 | 1000 | - | - | - |

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO9469-05

Item description
LED bulb torch in ABS with keyring. 3 AG3 batteries included. The barrel includes a LED light to illuminate the engraved logo.

Material content

| Part | Component description | Position | Material | Weight Percentage |
|------|-----------------------|----------|--|-------------------|
| 1 | Decoration ring | Head | Acrylonitrile butadiene styrene (ABS) | 2,30% |
| 2 | Led cover | Head | 2-Propenoic acid, 2-methyl-, methyl ester, homopolymer | 7,67% |
| 3 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 5,08% |
| 4 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 6,04% |
| 5 | Fixed fittings | Outside | Acrylonitrile butadiene styrene (ABS) | 6,62% |
| 6 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 0,29% |
| 7 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 0,38% |
| 8 | Strings | Inside | Polyester | 0,48% |
| 9 | Spring | Inside | Iron | 0,77% |
| 10 | Spring | Inside | Iron | 0,96% |
| 11 | Battery | Inside | LR41 | 16,11% |
| 12 | LED | Inside | Semiconductor | 2,11% |
| 13 | Fixed fittings | Outside | Acrylonitrile butadiene styrene (ABS) | 5,08% |
| 14 | Shell | Outside | Acrylonitrile butadiene styrene (ABS) | 28,76% |
| 15 | Keyring | Outside | Iron | 17,35% |
| | | | Total | 100,00% |

| Material information | Petrochemical | Partly Biobased | Biobased |
|----------------------------|---|---|---|
| Non-biodegradable | PA, PC, PE, PP, PET, RPET, PS, PVC, ABS , VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester | PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex | Glass, Basalt Stone, Ceramic, Chalk |
| Biodegradable (industrial) | PBAT | PLA/BPAT | Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather |

| | | |
|----------------------------------|------------------------------|--|
| Recyclability of material | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
|----------------------------------|------------------------------|--|

Renewable source

| | | |
|---|---|---|
| Recycled material | Natural material | Reused waste material |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

| Piece | Inner Carton | Carton | no box | Polybag | Packaging |
|-------|--------------|--------|--------|---------|-----------|
| 1 | 50 | 500 | - | - | - |

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO9469-10

Item description
LED bulb torch in ABS with keyring. 3 AG3 batteries included. The barrel includes a LED light to illuminate the engraved logo.

Material content

| Part | Component description | Position | Material | Weight Percentage |
|------|-----------------------|----------|--|-------------------|
| 1 | Decoration ring | Head | Acrylonitrile butadiene styrene (ABS) | 2,30% |
| 2 | Led cover | Head | 2-Propenoic acid, 2-methyl-, methyl ester, homopolymer | 7,67% |
| 3 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 5,08% |
| 4 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 6,04% |
| 5 | Fixed fittings | Outside | Acrylonitrile butadiene styrene (ABS) | 6,62% |
| 6 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 0,29% |
| 7 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 0,38% |
| 8 | Strings | Inside | Polyester | 0,48% |
| 9 | Spring | Inside | Iron | 0,77% |
| 10 | Spring | Inside | Iron | 0,96% |
| 11 | Battery | Inside | LR41 | 16,11% |
| 12 | LED | Inside | Semiconductor | 2,11% |
| 13 | Fixed fittings | Outside | Acrylonitrile butadiene styrene (ABS) | 5,08% |
| 14 | Shell | Outside | Acrylonitrile butadiene styrene (ABS) | 28,76% |
| 15 | Keyring | Outside | Iron | 17,35% |
| | | | Total | 100,00% |

| Material information | Petrochemical | Partly Biobased | Biobased |
|----------------------------|---|---|---|
| Non-biodegradable | PA, PC, PE, PP, PET, RPET, PS, PVC, ABS , VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester | PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex | Glass, Basalt Stone, Ceramic, Chalk |
| Biodegradable (industrial) | PBAT | PLA/BPAT | Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather |

| | | |
|---------------------------|------------------------------|--|
| Recyclability of material | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
|---------------------------|------------------------------|--|

Renewable source

| | | |
|---|---|---|
| Recycled material | Natural material | Reused waste material |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

| Piece | Inner Carton | Carton | mo box | Polybag | Packaging |
|-------|--------------|--------|--------|---------|-----------|
| 1 | 50 | 1000 | - | - | - |

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO9469-14

Item description

LED bulb torch in ABS with keyring. 3 AG3 batteries included. The barrel includes a LED light to illuminate the engraved logo.

Material content

| Part | Component description | Position | Material | Weight Percentage |
|------|-----------------------|----------|--|-------------------|
| 1 | Decoration ring | Head | Acrylonitrile butadiene styrene (ABS) | 2,30% |
| 2 | Led cover | Head | 2-Propenoic acid, 2-methyl-, methyl ester, homopolymer | 7,67% |
| 3 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 5,08% |
| 4 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 6,04% |
| 5 | Fixed fittings | Outside | Acrylonitrile butadiene styrene (ABS) | 6,62% |
| 6 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 0,29% |
| 7 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 0,38% |
| 8 | Strings | Inside | Polyester | 0,48% |
| 9 | Spring | Inside | Iron | 0,77% |
| 10 | Spring | Inside | Iron | 0,96% |
| 11 | Battery | Inside | LR41 | 16,11% |
| 12 | LED | Inside | Semiconductor | 2,11% |
| 13 | Fixed fittings | Outside | Acrylonitrile butadiene styrene (ABS) | 5,08% |
| 14 | Shell | Outside | Acrylonitrile butadiene styrene (ABS) | 28,76% |
| 15 | Keyring | Outside | Iron | 17,35% |
| | | | Total | 100,00% |

| Material information | Petrochemical | Partly Biobased | Biobased |
|----------------------------|---|---|---|
| Non-biodegradable | PA, PC, PE, PP, PET, RPET, PS, PVC, ABS , VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester | PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex | Glass, Basalt Stone, Ceramic, Chalk |
| Biodegradable (industrial) | PBAT | PLA/BPAT | Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather |

| | | |
|----------------------------------|------------------------------|--|
| Recyclability of material | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
|----------------------------------|------------------------------|--|

Renewable source

| | | |
|---|---|---|
| Recycled material | Natural material | Reused waste material |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

| Piece | Inner Carton | Carton | no box | Polybag | Packaging |
|-------|--------------|--------|--------|---------|-----------|
| 1 | 50 | 1000 | - | - | - |

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO9469-37

Item description

LED bulb torch in ABS with keyring. 3 AG3 batteries included. The barrel includes a LED light to illuminate the engraved logo.

Material content

| Part | Component description | Position | Material | Weight Percentage |
|------|-----------------------|----------|--|-------------------|
| 1 | Decoration ring | Head | Acrylonitrile butadiene styrene (ABS) | 2,30% |
| 2 | Led cover | Head | 2-Propenoic acid, 2-methyl-, methyl ester, homopolymer | 7,67% |
| 3 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 5,08% |
| 4 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 6,04% |
| 5 | Fixed fittings | Outside | Acrylonitrile butadiene styrene (ABS) | 6,62% |
| 6 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 0,29% |
| 7 | Fixed fittings | Inside | Acrylonitrile butadiene styrene (ABS) | 0,38% |
| 8 | Strings | Inside | Polyester | 0,48% |
| 9 | Spring | Inside | Iron | 0,77% |
| 10 | Spring | Inside | Iron | 0,96% |
| 11 | Battery | Inside | LR41 | 16,11% |
| 12 | LED | Inside | Semiconductor | 2,11% |
| 13 | Fixed fittings | Outside | Acrylonitrile butadiene styrene (ABS) | 5,08% |
| 14 | Shell | Outside | Acrylonitrile butadiene styrene (ABS) | 28,76% |
| 15 | Keyring | Outside | Iron | 17,35% |
| | | | Total | 100,00% |

| Material information | Petrochemical | Partly Biobased | Biobased |
|----------------------------|---|---|---|
| Non-biodegradable | PA, PC, PE, PP, PET, RPET, PS, PVC, ABS , VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester | PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex | Glass, Basalt Stone, Ceramic, Chalk |
| Biodegradable (industrial) | PBAT | PLA/BPAT | Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather |

| | | |
|----------------------------------|------------------------------|--|
| Recyclability of material | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
|----------------------------------|------------------------------|--|

Renewable source

| | | |
|---|---|---|
| Recycled material | Natural material | Reused waste material |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

| Piece | Inner Carton | Carton | no box | Polybag | Packaging |
|-------|--------------|--------|--------|---------|-----------|
| 1 | 50 | 1000 | - | - | - |

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director