

SUSTAINABILITY DECLARATION



Item number
MO8726-03

Item description

4.2 wireless speaker in ABS with rubber finish and LED light indication. 1 Rechargeable Lithium 450 mAh battery included. Includes an SD card port and an AUX / USB cable. Hands free call function. Output data: 3W, 3 Ohm and 5V. Playing time approx. 3h.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Cylindrical enclosure	External	Iron	49,50%
2	Speaker	Inside	Speaker	21,40%
3	Bottom Enclosure	External	Acrylonitrile Butadiene Styrene (ABS)	10,20%
4	Rechargeable Battery	Inside	See Part II	4,90%
5	Micro USB connector shield	External	Iron	3,80%
6	Printed Circuit Board	Inside	Printed Circuit Board	3,20%
7	Speaker Mesh	External	Iron	2,30%
8	Micro USB connector jacket	External	Acrylonitrile Butadiene Styrene (ABS)	0,70%
9	Light guard	Internal	Polyester (PET)	0,50%
10	Card Slot Shield	Internal	Iron	0,50%
11	USB connector shield	External	Iron	0,50%
12	Audio plug	External	Iron	0,40%
13	Volume turning plate	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
14	Toggle switch knob	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
15	Internal wiring insulation	Inside	Tetraphenylethylene	0,30%
16	Mini-USB Shield	Internal	Iron	0,30%
17	USB cable jacket	External	Polyvinyl Chloride (PVC)	0,30%
18	USB connector jacket	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
19	Audio jacket	External	Polyvinyl Chloride (PVC)	0,30%
				100,00%

Part II	Component description	Position	Material	Weight Percentage
Battery	Lithium Cobalt Oxide	Battery	Cobalt lithium dioxide	35,50%
	Graphite	Battery	Graphite	18,00%
	Copper foil	Battery	Copper	15,00%
	Aluminum Foil	Battery	Aluminium	9,00%
	Ethylene carbonate	Battery	Ethylene carbonate	5,00%
	Dimelene carbonate	Battery	Dimethyl carbonate	5,00%
	Carbonate, methyl ethyl	Battery	Carbonic acid, ethyl methyl ester	5,00%
	Phosphate(1-), hexafluoro-lithium	Battery	Lithium hexafluorophosphate(1-)	2,80%
	Nickel	Battery	Nickel	2,20%

	Styrene-Butadiene polymer	Battery	Butadiene Styrene Copolymer	1,50%
	1.1-Difluoroethylene polymer	Battery	Polyvinylidene fluoride	1,00%
				100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET , RPET, PS, PVC, ABS , VI, Silicone, POM, ACR, PU, PC, PVC , TPE , LDPE, TPR, EVA, Polyester, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	50	Y	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO8726-05

Item description

4.2 wireless speaker in ABS with rubber finish and LED light indication. 1 Rechargeable Lithium 450 mAh battery included. Includes an SD card port and an AUX / USB cable. Hands free call function. Output data: 3W, 3 Ohm and 5V. Playing time approx. 3h.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Cylindrical enclosure	External	Iron	49,50%
2	Speaker	Inside	Speaker	21,40%
3	Bottom Enclosure	External	Acrylonitrile Butadiene Styrene (ABS)	10,20%
4	Rechargeable Battery	Inside	See Part II	4,90%
5	Micro USB connector shield	External	Iron	3,80%
6	Printed Circuit Board	Inside	Printed Circuit Board	3,20%
7	Speaker Mesh	External	Iron	2,30%
8	Micro USB connector jacket	External	Acrylonitrile Butadiene Styrene (ABS)	0,70%
9	Light guard	Internal	Polyester (PET)	0,50%
10	Card Slot Shield	Internal	Iron	0,50%
11	USB connector shield	External	Iron	0,50%
12	Audio plug	External	Iron	0,40%
13	Volume turning plate	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
14	Toggle switch knob	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
15	Internal wiring insulation	Inside	Tetraphenylethylene	0,30%
16	Mini-USB Shield	Internal	Iron	0,30%
17	USB cable jacket	External	Polyvinyl Chloride (PVC)	0,30%
18	USB connector jacket	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
19	Audio jacket	External	Polyvinyl Chloride (PVC)	0,30%
				100,00%

Part II	Component description	Position	Material	Weight Percentage
Battery	Lithium Cobalt Oxide	Battery	Cobalt lithium dioxide	35,50%
	Graphite	Battery	Graphite	18,00%
	Copper foil	Battery	Copper	15,00%
	Aluminum Foil	Battery	Aluminium	9,00%
	Ethylene carbonate	Battery	Ethylene carbonate	5,00%
	Dimelene carbonate	Battery	Dimethyl carbonate	5,00%
	Carbonate, methyl ethyl	Battery	Carbonic acid, ethyl methyl ester	5,00%
	Phosphate(1-), hexafluoro-lithium	Battery	Lithium hexafluorophosphate(1-)	2,80%
	Nickel	Battery	Nickel	2,20%

	Styrene-Butadiene polymer	Battery	Butadiene Styrene Copolymer	1,50%
	1.1-Difluoroethylene polymer	Battery	Polyvinylidene fluoride	1,00%
				100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET , RPET, PS, PVC, ABS , VI, Silicone, POM, ACR, PU, PC, PVC , TPE , LDPE, TPR, EVA, Polyester, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	0	50	-	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO8726-06

Item description
4.2 wireless speaker in ABS with rubber finish and LED light indication. 1 Rechargeable Lithium 450 mAh battery included. Includes an SD card port and an AUX / USB cable. Hands free call function. Output data: 3W, 3 Ohm and 5V. Playing time approx. 3h.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Cylindrical enclosure	External	Iron	49,50%
2	Speaker	Inside	Speaker	21,40%
3	Bottom Enclosure	External	Acrylonitrile Butadiene Styrene (ABS)	10,20%
4	Rechargeable Battery	Inside	See Part II	4,90%
5	Micro USB connector shield	External	Iron	3,80%
6	Printed Circuit Board	Inside	Printed Circuit Board	3,20%
7	Speaker Mesh	External	Iron	2,30%
8	Micro USB connector jacket	External	Acrylonitrile Butadiene Styrene (ABS)	0,70%
9	Light guard	Internal	Polyester (PET)	0,50%
10	Card Slot Shield	Internal	Iron	0,50%
11	USB connector shield	External	Iron	0,50%
12	Audio plug	External	Iron	0,40%
13	Volume turning plate	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
14	Toggle switch knob	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
15	Internal wiring insulation	Inside	Tetraphenylethylene	0,30%
16	Mini-USB Shield	Internal	Iron	0,30%
17	USB cable jacket	External	Polyvinyl Chloride (PVC)	0,30%
18	USB connector jacket	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
19	Audio jacket	External	Polyvinyl Chloride (PVC)	0,30%
				100,00%

Part II	Component description	Position	Material	Weight Percentage
Battery	Lithium Cobalt Oxide	Battery	Cobalt lithium dioxide	35,50%
	Graphite	Battery	Graphite	18,00%
	Copper foil	Battery	Copper	15,00%
	Aluminum Foil	Battery	Aluminium	9,00%
	Ethylene carbonate	Battery	Ethylene carbonate	5,00%
	Dimelene carbonate	Battery	Dimethyl carbonate	5,00%
	Carbonate, methyl ethyl	Battery	Carbonic acid, ethyl methyl ester	5,00%
	Phosphate(1-), hexafluoro-lithium	Battery	Lithium hexafluorophosphate(1-)	2,80%
	Nickel	Battery	Nickel	2,20%

	Styrene-Butadiene polymer	Battery	Butadiene Styrene Copolymer	1,50%
	1.1-Difluoroethylene polymer	Battery	Polyvinylidene fluoride	1,00%
				100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET , RPET, PS, PVC, ABS , VI, Silicone, POM, ACR, PU, PC, PVC , TPE , LDPE, TPR, EVA, Polyester, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	50	Y	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO8726-10

Item description

4.2 wireless speaker in ABS with rubber finish and LED light indication. 1 Rechargeable Lithium 450 mAh battery included. Includes an SD card port and an AUX / USB cable. Hands free call function. Output data: 3W, 3 Ohm and 5V. Playing time approx. 3h.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Cylindrical enclosure	External	Iron	49,50%
2	Speaker	Inside	Speaker	21,40%
3	Bottom Enclosure	External	Acrylonitrile Butadiene Styrene (ABS)	10,20%
4	Rechargeable Battery	Inside	See Part II	4,90%
5	Micro USB connector shield	External	Iron	3,80%
6	Printed Circuit Board	Inside	Printed Circuit Board	3,20%
7	Speaker Mesh	External	Iron	2,30%
8	Micro USB connector jacket	External	Acrylonitrile Butadiene Styrene (ABS)	0,70%
9	Light guard	Internal	Polyester (PET)	0,50%
10	Card Slot Shield	Internal	Iron	0,50%
11	USB connector shield	External	Iron	0,50%
12	Audio plug	External	Iron	0,40%
13	Volume turning plate	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
14	Toggle switch knob	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
15	Internal wiring insulation	Inside	Tetraphenylethylene	0,30%
16	Mini-USB Shield	Internal	Iron	0,30%
17	USB cable jacket	External	Polyvinyl Chloride (PVC)	0,30%
18	USB connector jacket	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
19	Audio jacket	External	Polyvinyl Chloride (PVC)	0,30%
				100,00%

Part II	Component description	Position	Material	Weight Percentage
Battery	Lithium Cobalt Oxide	Battery	Cobalt lithium dioxide	35,50%
	Graphite	Battery	Graphite	18,00%
	Copper foil	Battery	Copper	15,00%
	Aluminum Foil	Battery	Aluminium	9,00%
	Ethylene carbonate	Battery	Ethylene carbonate	5,00%
	Dimelene carbonate	Battery	Dimethyl carbonate	5,00%
	Carbonate, methyl ethyl	Battery	Carbonic acid, ethyl methyl ester	5,00%
	Phosphate(1-), hexafluoro-lithium	Battery	Lithium hexafluorophosphate(1-)	2,80%
	Nickel	Battery	Nickel	2,20%

	Styrene-Butadiene polymer	Battery	Butadiene Styrene Copolymer	1,50%
	1.1-Difluoroethylene polymer	Battery	Polyvinylidene fluoride	1,00%
				100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET , RPET, PS, PVC, ABS , VI, Silicone, POM, ACR, PU, PC, PVC , TPE , LDPE, TPR, EVA, Polyester, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	50	Y	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO8726-16

Item description

4.2 wireless speaker in ABS with rubber finish and LED light indication. 1 Rechargeable Lithium 450 mAh battery included. Includes an SD card port and an AUX / USB cable. Hands free call function. Output data: 3W, 3 Ohm and 5V. Playing time approx. 3h.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Cylindrical enclosure	External	Iron	49,50%
2	Speaker	Inside	Speaker	21,40%
3	Bottom Enclosure	External	Acrylonitrile Butadiene Styrene (ABS)	10,20%
4	Rechargeable Battery	Inside	See Part II	4,90%
5	Micro USB connector shield	External	Iron	3,80%
6	Printed Circuit Board	Inside	Printed Circuit Board	3,20%
7	Speaker Mesh	External	Iron	2,30%
8	Micro USB connector jacket	External	Acrylonitrile Butadiene Styrene (ABS)	0,70%
9	Light guard	Internal	Polyester (PET)	0,50%
10	Card Slot Shield	Internal	Iron	0,50%
11	USB connector shield	External	Iron	0,50%
12	Audio plug	External	Iron	0,40%
13	Volume turning plate	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
14	Toggle switch knob	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
15	Internal wiring insulation	Inside	Tetraphenylethylene	0,30%
16	Mini-USB Shield	Internal	Iron	0,30%
17	USB cable jacket	External	Polyvinyl Chloride (PVC)	0,30%
18	USB connector jacket	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
19	Audio jacket	External	Polyvinyl Chloride (PVC)	0,30%
				100,00%

Part II	Component description	Position	Material	Weight Percentage
Battery	Lithium Cobalt Oxide	Battery	Cobalt lithium dioxide	35,50%
	Graphite	Battery	Graphite	18,00%
	Copper foil	Battery	Copper	15,00%
	Aluminum Foil	Battery	Aluminium	9,00%
	Ethylene carbonate	Battery	Ethylene carbonate	5,00%
	Dimelene carbonate	Battery	Dimethyl carbonate	5,00%
	Carbonate, methyl ethyl	Battery	Carbonic acid, ethyl methyl ester	5,00%
	Phosphate(1-), hexafluoro-lithium	Battery	Lithium hexafluorophosphate(1-)	2,80%
	Nickel	Battery	Nickel	2,20%

	Styrene-Butadiene polymer	Battery	Butadiene Styrene Copolymer	1,50%
	1.1-Difluoroethylene polymer	Battery	Polyvinylidene fluoride	1,00%
				100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET , RPET, PS, PVC, ABS , VI, Silicone, POM, ACR, PU, PC, PVC , TPE , LDPE, TPR, EVA, Polyester, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	50	Y	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO8726-37

Item description

4.2 wireless speaker in ABS with rubber finish and LED light indication. 1 Rechargeable Lithium 450 mAh battery included. Includes an SD card port and an AUX / USB cable. Hands free call function. Output data: 3W, 3 Ohm and 5V. Playing time approx. 3h.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Cylindrical enclosure	External	Iron	49,50%
2	Speaker	Inside	Speaker	21,40%
3	Bottom Enclosure	External	Acrylonitrile Butadiene Styrene (ABS)	10,20%
4	Rechargeable Battery	Inside	See Part II	4,90%
5	Micro USB connector shield	External	Iron	3,80%
6	Printed Circuit Board	Inside	Printed Circuit Board	3,20%
7	Speaker Mesh	External	Iron	2,30%
8	Micro USB connector jacket	External	Acrylonitrile Butadiene Styrene (ABS)	0,70%
9	Light guard	Internal	Polyester (PET)	0,50%
10	Card Slot Shield	Internal	Iron	0,50%
11	USB connector shield	External	Iron	0,50%
12	Audio plug	External	Iron	0,40%
13	Volume turning plate	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
14	Toggle switch knob	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
15	Internal wiring insulation	Inside	Tetraphenylethylene	0,30%
16	Mini-USB Shield	Internal	Iron	0,30%
17	USB cable jacket	External	Polyvinyl Chloride (PVC)	0,30%
18	USB connector jacket	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
19	Audio jacket	External	Polyvinyl Chloride (PVC)	0,30%
				100,00%

Part II	Component description	Position	Material	Weight Percentage
Battery	Lithium Cobalt Oxide	Battery	Cobalt lithium dioxide	35,50%
	Graphite	Battery	Graphite	18,00%
	Copper foil	Battery	Copper	15,00%
	Aluminum Foil	Battery	Aluminium	9,00%
	Ethylene carbonate	Battery	Ethylene carbonate	5,00%
	Dimelene carbonate	Battery	Dimethyl carbonate	5,00%
	Carbonate, methyl ethyl	Battery	Carbonic acid, ethyl methyl ester	5,00%
	Phosphate(1-), hexafluoro-lithium	Battery	Lithium hexafluorophosphate(1-)	2,80%
	Nickel	Battery	Nickel	2,20%

	Styrene-Butadiene polymer	Battery	Butadiene Styrene Copolymer	1,50%
	1.1-Difluoroethylene polymer	Battery	Polyvinylidene fluoride	1,00%
				100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET , RPET, PS, PVC, ABS , VI, Silicone, POM, ACR, PU, PC, PVC , TPE , LDPE, TPR, EVA, Polyester, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	50	Y	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO8726-48

Item description

4.2 wireless speaker in ABS with rubber finish and LED light indication. 1 Rechargeable Lithium 450 mAh battery included. Includes an SD card port and an AUX / USB cable. Hands free call function. Output data: 3W, 3 Ohm and 5V. Playing time approx. 3h.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Cylindrical enclosure	External	Iron	49,50%
2	Speaker	Inside	Speaker	21,40%
3	Bottom Enclosure	External	Acrylonitrile Butadiene Styrene (ABS)	10,20%
4	Rechargeable Battery	Inside	See Part II	4,90%
5	Micro USB connector shield	External	Iron	3,80%
6	Printed Circuit Board	Inside	Printed Circuit Board	3,20%
7	Speaker Mesh	External	Iron	2,30%
8	Micro USB connector jacket	External	Acrylonitrile Butadiene Styrene (ABS)	0,70%
9	Light guard	Internal	Polyester (PET)	0,50%
10	Card Slot Shield	Internal	Iron	0,50%
11	USB connector shield	External	Iron	0,50%
12	Audio plug	External	Iron	0,40%
13	Volume turning plate	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
14	Toggle switch knob	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
15	Internal wiring insulation	Inside	Tetraphenylethylene	0,30%
16	Mini-USB Shield	Internal	Iron	0,30%
17	USB cable jacket	External	Polyvinyl Chloride (PVC)	0,30%
18	USB connector jacket	External	Acrylonitrile Butadiene Styrene (ABS)	0,30%
19	Audio jacket	External	Polyvinyl Chloride (PVC)	0,30%
				100,00%

Part II	Component description	Position	Material	Weight Percentage
Battery	Lithium Cobalt Oxide	Battery	Cobalt lithium dioxide	35,50%
	Graphite	Battery	Graphite	18,00%
	Copper foil	Battery	Copper	15,00%
	Aluminum Foil	Battery	Aluminium	9,00%
	Ethylene carbonate	Battery	Ethylene carbonate	5,00%
	Dimelene carbonate	Battery	Dimethyl carbonate	5,00%
	Carbonate, methyl ethyl	Battery	Carbonic acid, ethyl methyl ester	5,00%
	Phosphate(1-), hexafluoro-lithium	Battery	Lithium hexafluorophosphate(1-)	2,80%
	Nickel	Battery	Nickel	2,20%

	Styrene-Butadiene polymer	Battery	Butadiene Styrene Copolymer	1,50%
	1.1-Difluoroethylene polymer	Battery	Polyvinylidene fluoride	1,00%
				100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET , RPET, PS, PVC, ABS , VI, Silicone, POM, ACR, PU, PC, PVC , TPE , LDPE, TPR, EVA, Polyester, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	50	-	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director