

TEST REPORT

 Report No.
 :
 WTF22F09192452C

 Applicant
 :
 Mid Ocean Brands B.V.

Address : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan,

Kowloon, Hong Kong

Manufacturer 107927

Sample Name Trolley backpack

Sample Model : MO9179

Test Requested: 1) [

- 1) Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628
- Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217
- Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005
- 4) Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).
- 5) As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.

Test Conclusion : Refer to next page (s)

Date of Receipt sample..... : 2022-09-22

Testing period.....: 2022-09-22 to 2022-09-29

Date of Issue 2022-09-30

Test Result : Refer to next page (s)

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.


Swing Liang

Swing.Liang

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn



Sample photo:





Reference Sample Photo (Not tested):





Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

The Mark Mr.	LOQ Results (mg/kg)		Limit	
Test Item	(mg/kg)	No.1+No.2+No.3	No.4+No.5+No.15	(mg/kg)
Lead(Pb)	2	ND*	ND* W	500
Conclusion	WITE WITE	Pass	Pass	St. Calle

Table Mana	LOQ		(mg/kg)	Limit
Test Item	(mg/kg)	No.6+No.8	No.7+No.9	(mg/kg)
Lead(Pb)	2	ND*	ND*	500
Conclusion	IF MITE WILL	Pass	Pass	J. Ell St. Ell.

Took How	LOQ	Results	esults (mg/kg)		
Test Item (mg/kg)		No.10	No.11	(mg/kg)	
Lead(Pb)	2	19 /- 19	16 JP	500	
Conclusion	5 10 10 10 10 10 10 10 10 10 10 10 10 10	Pass	Pass	(E) -(E)	

Tank Ham	LOQ	Results (mg/kg)	Limit
Test Item	(mg/kg)	No.12+No.13	No.14	(mg/kg)
Lead(Pb)	2	ND*	ND ND	500
Conclusion	CALLE CHAIL CALL	Pass	Pass	EK JEK - 17

Will Mur Mu	LOQ Results (mg/kg)		Limit	
Test Item	(mg/kg)	No.16+No.17	No.18	(mg/kg)
Lead(Pb)	2	ND*	70 0	500
Conclusion	I LITE WILL IN	Pass	Pass	TER STEET OF



Toot Itom	LOQ	Results (Results (mg/kg)		
Test Item	(mg/kg)	No.19+No.20	No.21	(mg/kg)	
Lead(Pb)	2 - 4	ND*	ND ND	500	
Conclusion	in mi me	Pass	Pass	. In the way	

Tool Hom	LOQ Results (mg/kg)		Limit	
Test Item	(mg/kg)	No.22	No.23+No.24	(mg/kg)
Lead(Pb)	2 + 2+	ND	ND*	500
Conclusion	112 112 111 111	Pass	Pass	WILL WALL

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.



2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Tariff all	LOQ	Results (mg/kg)	
Test Item	(mg/kg)	No.1+No.2+No.3	No.4+No.5+No.15
Cadmium(Cd)	2	ND*	ND*
Conclusion	x - x -	Pass	Pass

Tank Ham a Lifet 184	LOQ	Results (mg/kg)		
Test Item	40	(mg/kg)	No.6+No.8	No.7+No.9
Cadmium(Cd)	NUTE		ND*	ND*
Conclusion		- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	Pass	Pass

Tank Halm all filter	LOQ Results (mg/kg)		s (mg/kg)	
Test Item	(mg/kg)	No.10	No.12+No.13	
Cadmium(Cd)	2 30	ND	ND* Start Start	
Conclusion		Pass	Pass	

All Market Steel	LOQ	Results (mg/kg)	
Test Item	(mg/kg)	No.14	No.16+No.17
Cadmium(Cd)	2 1	ND	ND*
Conclusion	J- J+ J+	Pass	Pass

TEL LIEF RITE	LOQ	Results (mg/kg)	
Test Item	(mg/kg)	No.18	No.22
Cadmium(Cd)	2	ND	ND CO
Conclusion	at the let	Pass	Pass

Test Item	LOQ	Results (mg/kg)
	(mg/kg)	No.23+No.24
Cadmium(Cd)	2	ND*+
Conclusion	14 - 14 (B)	Pass W



Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

(5) "*" = Results are calculated by the minimum weight of mixed components.





3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ	i will	Limit			
	(%)	No.10	No.14	No.16	No.17	(%)
Benzyl butyl phthalate (BBP)	0.005	ND	ND	ND	ND	142 24 24
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND	ND	ND	ND	sum of four
Dibutyl phthalate (DBP)	0.005	ND	ND	ND	ND	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND ND	ND	ND	ND	
Diisodecyl phthalate (DIDP)	0.01	ND	ND	ND	ND	MITER WALTER
Diisononyl phthalate (DINP)	0.01	ND	ND	ND	ND	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND	ND (ND	ND	
Conclusion	1 11/1 1	Pass	Pass	Pass	Pass	et set si

Test Items	Loq	Results (%)				Limit
	(%)	No.18	No.22	No.23	No.24	(%)
Benzyl butyl phthalate (BBP)	0.005	ND	of ND	ND	ND	LEL MUTLE MUT
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	0.017	ND	ND	ND	sum of four
Dibutyl phthalate (DBP)	0.005	ND	ND	ND	ND	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND	ND	∠ ND _	ND	
Diisodecyl phthalate (DIDP)	0.01	0.015	ND	ND	ND	TEX TEX
Diisononyl phthalate (DINP)	0.01	0.014	ND	ND	ND	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND	ND	ND	ND	
Conclusion	Sept.	Pass	Pass	Pass	Pass	A



Note:

DBP= Dibutyl phthalate

BBP= Benzyl butyl phthalate

DEHP= Bis-(2-ethylhexyl)- phthalate

DIDP= Di-isodecyl phthalate

DIDP= Di-isodecyl phthalate

DIBP= Diisobutyl phthalate

(1) % = percentage by weight

(2) ND = Not Detected or lower than limit of quantitation

(3) LOQ = Limit of quantitation

(4) "<" = less than

(5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.





4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed

by Gas Chromatographic Mass Spectrometry (GC-MS)

et et	THE THE SITE WITH MAIN W	10, 20,	2,	Result (mg/kg)		
No.	Amines Substances	CAS No.	Limit (mg/kg)	No.1+No.2+No. 3	No.4+No.5+No. 15	
1	4-Aminobiphenyl	92-67-1	30	ND*	ND*	
2	Benzidine	92-87-5	30	ND*	ND*	
3	4-chloro-o-Toluidine	95-69-2	30	ND*	ND*	
4	2-Naphthylamine	91-59-8	30	ND*	ND*	
5	o-Aminoazotoluene	97-56-3	30	ND*	ND*	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND*	
7	p-Chloroaniline	106-47-8	30	ND*	ND*	
8	2,4-diaminoanisol	615-05-4	30	ND*	ND*	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND*	
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	ND*	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND*	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	ND*	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	ND*	
14	p-cresinin	120-71-8	30	ND*	ND*	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	ND*	
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND*	
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND*	
18	o-Toluidine	95-53-4	30	ND*	ND*	
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND*	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND*	
21	o-anisidine	90-04-0	30	ND*	ND*	
22	4-aminoazobenzene	60-09-3	30	ND*	ND*	
23	2,4-Xylidin	95-68-1	30	ND*	ND*	
24	2,6-Xylidin	87-62-7	30	ND*	ND*	
4	Conclusion	JE 3	77.17	Pass	Pass	



No.	Aminos Substances	CAS No.	Limit	Result (mg/kg)		
NO.	Amines Substances	CAS NO.	(mg/kg)	No.14		
1 🗥	4-Aminobiphenyl	92-67-1	30	M ND		
2	Benzidine	92-87-5	30	ND NITE NEED		
3	4-chloro-o-Toluidine	95-69-2	30	ND		
4	2-Naphthylamine	91-59-8	30	of the IND of the Market		
5	o-Aminoazotoluene	97-56-3	30	ND		
6	2-Amino-4-nitrotoluene	99-55-8	30	THE THE NOTE WITH THE		
7	p-Chloroaniline	106-47-8	30	ND		
8	2,4-diaminoanisol	615-05-4	30	TEL TEL ND WILL WHEN		
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND		
10	3,3'-Dichlorobenzidine	91-94-1	30	THE STEEL IND WITH THEFT		
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND		
12	3,3'-Dimethylbenzidine	119-93-7	30	STEEL WITE NOW THE THE		
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND		
14	p-cresinin	120-71-8	30	Life net ND was we		
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND		
16	4,4'-Oxydianiline	101-80-4	30	LIFE MITT MAD MALL MALL		
17	4,4'-Thiodianiline	139-65-1	30	ND A		
18	o-Toluidine	95-53-4	30	Mr. ND Mr. Mr.		
19	2,4-Toluylendiamine	95-80-7	30	ND A		
20	2,4,5 – Trimethylaniline	137-17-7	30	Intil Unit ND Unit of		
21	o-anisidine	90-04-0	30	ND - ND		
22	4-aminoazobenzene	60-09-3	30	nitt inti ND was with		
23	2,4-Xylidin	95-68-1	30	ND ND		
24	2,6-Xylidin	87-62-7	30	The MIND WE WILL		
	Conclusion	$\tau_{\tilde{n}}$	-	Pass /		

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006
- "*" = Results are calculated by the minimum weight of mixed components.



5) Colour Fastness to Rubbing

Colour Fastness to Rubbing						The Street
(ISO 105-X12:	2016; Size of rubbin	g finger: 16mr	m diameter.)	LIE MET	are are	20, 20,
- et 1	The Silver	No.1	No.2	No.3	No.4	Client's Limit
Length	Dry staining	4-5	4-5	4	4-5	2-3
	Wet staining	4-5	4-5	3114 311	4-5	2-3
J. J. C. L.	Dry staining	4-5	4-5	4	4-5	2-3
Width	Wet staining	4-5	4-5	4 4	4-5	2-3
Conclusion	THE STIP WITH	Pass	Pass	Pass	Pass	10 Th

Colour Fastness to Rubbing					
(ISO 105-X12:	2016; Size of rubbing	g finger: 16mm dia	ameter.)	er cer ci	e all sale
	* *	No.5	No.14	No.15	Client's Limit
Length	Dry staining	4-5	4-5	4	2-3
	Wet staining	4-5	4-5	4	2-3
(* \A/: alab	Dry staining	4-5	4-5	4	2-3
Width	Wet staining	4-5	4-5	4	2-3
Conclusion	at at all	Pass	Pass	Pass	

Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.



Description for Specimen:

Specimen No.	Specimen Description				
et 1,et with with	Grey-green fabric				
11/2	Dark grey fabric				
T3 SITE OF THE SU	Black fabric				
4	Black net fabric				
MITE 5 RUTE WALL WALL	Black net fabric				
6	Black zipper fabric				
TE NATE WALL WALL	Black plastic zipper tooth				
C 8/4 Jet Jet	Grey plastic zipper tooth				
w 9	Grey zipper fabric				
10	Black plastic part				
11	Silvery metal zipper head				
12 (1 mil mil	Black plastic hook(VELCRO)				
13	Black plastic loop(VELCRO)				
14	Black elastic band				
15	Black webbing				
16 m	Black plastic shell				
17	Black plastic shell				
18	Black plastic wheel				
19	Silvery metal rivet				
20	Silvery metal rivet				
21	Silvery metal shell without black coating				
22	Black coating				
23	Black plastic shell				
24	Black plastic handle				



Photograph of parts tested:









Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report ======

