





TEST REPORT

Reference No	WTF21F08081422C
110101010100 1101	W 11 2 11 0000 14220

Applicant Mid Ocean Brands B.V.

Address: 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon,

Hong Kong

Manufacturer.....: 112213

Sample Name.....: Wooden bird house

Model No.: : MO8532

1) Determination of Lead content in the submitted sample in Test Requested.....:

> accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628

2) As specified by client, determination of the released formaldehyde

content in submitted sample

Test Method: Please refer to next page (s)

Test Conclusion: Please refer to next page (s)

Date of Receipt sample..... 2021-08-10

Date of Test..... 2021-08-10 to 2021-08-17

Date of Issue 2021-08-17

Test Result Please refer to next page (s)

Remarks:

The results shown in this test report refer only to the sample(s) tested; this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381

E-mail:info@waltek.com.cn

Compiled by:

supporting data to the society.

Rena.Chen / Project Engineer


Approved by:

Swing, Liang / Technical Manager

Test Result:



Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.



Page 2 of 3

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.

2) Formaldehyde

Test Method: With reference to EN717-3:1996, analysis was performed by UV-VIS

Test Item	100	Result	LOQ	Client's Limit
	Unit	No.1		
Formaldehyde (CH ₂ O)	mg/kg	25	10	80
Conclusion	CER STEEL STEEL SE	Pass	70 - 20	-x

Note:

- mg/kg =milligram per kilogram=ppm
- LOQ = Limit of quantitation

Test Specimen Description:

No.1: Brown wooden bird's nest



Sample photo:





===== End of Report =====

