

# **TEST REPORT**

Report No. : WTF23F05116169C

Applicant : Mid Ocean Brands B.V.

Address ......: 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan,

Kowloon, Hong Kong

Manufacturer.....: 103738

Sample Name ...... : PU portfolio with 20 pages notebook

Sample Model ..... : IT3750

63 (EC) No. 1907/2006 and the amendment No.

836/2012 and (EU) 2015/628

2) Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU)

2016/217

 Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No.

2018/2005

4) Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).

5) As requested by the applicant, to test Colour Fastness to

Rubbing in the submitted sample.

Test Conclusion ...... : Refer to next page (s)

Date of Receipt sample .....: 2023-05-29

**Testing period**...... 2023-05-29 to 2023-06-02

**Date of Issue** ..... 2023-06-05

Test Result ...... : Refer to next page (s)

#### Prepared By:

#### Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China

Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of

Swing Liang

Waltek Testing Group (Foshan) Co., Ltd.

Swing.Liang

Waltek Testing Group (Foshan) Co., Ltd.

http://www.waltek.com.cn

1/9

WT-510-201-15-A





# Sample photo:





#### **Test Results:**

## 1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Tool Kom of the	LOQ	MULL MUT	Results (mg/kg)		
Test Item	(mg/kg)	No.1	No.2	No.3	(mg/kg)
Lead(Pb)	2	ND	ND	ND -	500
Conclusion	A - A	Pass	Pass	Pass	1, 21,

Test Item	LOQ	Results (mg/kg)			Limit	
	(mg/kg)	No.4+No.5	No.6+No.7 +No.8	No.9+No.10	(mg/kg)	
Lead(Pb)	2	ND*	ND*	ND*	500	
Conclusion	EK STEK-STER	Pass	Pass	Pass	A -0+	

#### Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "\*" = Results are calculated by the minimum weight of mixed components.



#### 2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	LOQ	Results (mg/kg)		
	(mg/kg)	No.3 Let The little with		
Cadmium(Cd)	2	THE STITE WITH NO NO WAY AND		
Conclusion	mr -mr	Passet life wife we		

#### Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100





#### 3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ (%)	Results (%) No.3	Limit (%)
Benzyl butyl phthalate (BBP)	0.005	ND	SLIFE OLITER SOLITE SU
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	Murry All ND All A	sum of four
Dibutyl phthalate (DBP)	0.005	THE IND NOT WE	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND -	A WILL WILL MILE
Diisodecyl phthalate (DIDP)	0.01	ND	at at at
Diisononyl phthalate (DINP)	0.01	ND ND	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND	printalates < 0.1
Conclusion	et the set	Pass	L. 24 24 - 24

#### Note:

DBP= Dibutyl phthalate
DINP= Di-isononyl phthalate
DIBP= Diisobutyl phthalate
DIBP= Diisobutyl phthalate

BBP= Benzyl butyl phthalate
DIDP= Di-isodecyl phthalate
DIDP= Di-isodecyl phthalate

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.



4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Aminos Substances	CAS No.	Limit	Result (mg/kg)	
NO.	Amines Substances		(mg/kg)	No.2	No.4+No.5
1	4-Aminobiphenyl	92-67-1	30	ND	ND*
2	Benzidine	92-87-5	30	ND	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND	ND*
4	2-Naphthylamine	91-59-8	30	ND	ND*
5	o-Aminoazotoluene	97-56-3	30	ND	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND	ND*
7	p-Chloroaniline	106-47-8	30	ND	ND*
8	2,4-diaminoanisol	615-05-4	30	ND	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND	ND*
14	p-cresinin	120-71-8	30	ND	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND (4)	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND	ND*
18	o-Toluidine	95-53-4	30	ND ND	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND	ND*
21	o-anisidine	90-04-0	30	ND O	ND*
22	4-aminoazobenzene	60-09-3	30	ND	ND*
23	2,4-Xylidin	95-68-1	30	ND	ND*
24	2,6-Xylidin	87-62-7	30	ND	ND*
E.	Conclusion		A - 1	Pass	Pass

#### Note

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006
- "\*" = Results are calculated by the minimum weight of mixed components.



# 5) Colour Fastness to Rubbing

Colour Fastness to Rubbing					
(ISO 105-X1	12: 2016; Size of rubbing	finger: 16mm dia	ameter.)		t of the
are in	14 24 2	No.2	No.4	No.5	Client's Limit
Length	Dry staining	4-5	4-5	4-5	2-3
	Wet staining	4-5	4-5	4-5	2-3
14 <i>l</i> : 1d	Dry staining	- 18th 18th	TER ME	14.	2-3
Width	Wet staining	ar - ar	7/1 -2	L J+	2-3
Conclusion	1/15 20, 20,	Pass	Pass	Pass	er and - and

## Note:


(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

#### **Description for Specimen:**

Specimen No.	Specimen Description
TEX TEX WITER IN ER WA	Silvery metal shell
2	Black synthetic leather
MILE WILL SWILL WILL WILL	Black plastic net
+ 4 4 5	Black main fabric
5 <sup>VI</sup>	Black lining
STEEL GIFE ON MI	Grey white paper sheet
7, ,	Brown paper sheet
Will my 8 mer mr m	Brown paper sheet
7.5- 7.5 9 7.5- 7.5- 7.5- 7.5- 7.5- 7.5- 7.5- 7.5-	Black paper sheet
10	White paper sheet with black printing



Photograph of parts tested:





#### Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

