



TEST REPORT

Report No. : WTF23F05107637A2C
Applicant : Mid Ocean Brands B.V.
Address : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan,
Kowloon, Hong Kong
Manufacturer : 111716
Sample Name : 23.5 inch umbrella, 3 folds foldable umbrella
Sample Model : KC5132, MO7210
Test Requested : 1) Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628
2) Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217
3) Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005
4) Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).
5) As specified by client, determination of the released formaldehyde content in submitted sample
6) As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.

Test Conclusion : **Pass** (Please refer to next pages for details)
Date of Receipt sample : 2023-05-18 & 2023-06-01 & 2023-06-19
Testing period : 2023-05-18 to 2023-06-21
Date of Issue : 2023-06-26
Test Result : Refer to next page (s)
Note : As specified by client, only test the designated sample.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City,
Chencun, Shunde District, Foshan, Guangdong, China

Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of
Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang

Waltek Testing Group (Foshan) Co., Ltd.

<http://www.waltek.com.cn>



Report No.: WTF23F05107637A2C

Sample photo:



1. KC5132



2. KC5132



3. MO7210



4. MO7210



Report No.: WTF23F05107637A2C

Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.1+No.2+No.3	No.4+No.5+No.6	
Lead(Pb)	2	ND*	ND*	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.7+No.8+No.9	No.10	
Lead(Pb)	2	ND*	ND	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.11+No.13+No.13	No.14+No.15+No.16	
Lead(Pb)	2	ND*	ND*	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.17+No.18+No.19	No.20+No.21+No.22	
Lead(Pb)	2	ND*	ND*	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.23+No.24+No.25	No.26+No.27+No.28	
Lead(Pb)	2	ND*	84*	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.29+No.30	No.31+No.32+No.33	
Lead(Pb)	2	ND*	ND*	500
Conclusion	--	Pass	Pass	--



Report No.: WTF23F05107637A2C

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.34+No.35+No.36	No.37	
Lead(Pb)	2	ND*	ND	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.38+No.39+No.40	No.41	
Lead(Pb)	2	91*	ND	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)			Limit (mg/kg)
		No.42+No.43	No.44+No.45	No.46+No.47	
Lead(Pb)	2	ND*	ND*	35*	500
Conclusion	--	Pass	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.48+No.49+No.50	No.51+No.52+No.53	
Lead(Pb)	2	42*	ND*	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.54+No.55+No.56	No.57+No.58	
Lead(Pb)	2	ND*	ND*	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.59+No.60+No.61	No.62	
Lead(Pb)	2	ND*	ND	500
Conclusion	--	Pass	Pass	--



Report No.: WTF23F05107637A2C

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.63+No.64+No.65	No.66+No.67+No.68	
Lead(Pb)	2	ND*	ND*	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.69+No.70+No.71	No.72	
Lead(Pb)	2	ND*	ND	500
Conclusion	--	Pass	Pass	--

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.
- (6) The test sample of specimen No.33 is received on the date of 2023-05-18.

WALTEK



Report No.: WTF23F05107637A2C

2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	LOQ (mg/kg)	Results (mg/kg)	
		No.11+No.12+No.13	No.14+No.15+No.16
Cadmium(Cd)	2	ND*	ND*
Conclusion	--	Pass	Pass

Test Item	LOQ (mg/kg)	Results (mg/kg)	
		No.17+No.18+No.19	No.20+No.21+No.22
Cadmium(Cd)	2	ND*	ND*
Conclusion	--	Pass	Pass

Test Item	LOQ (mg/kg)	Results (mg/kg)	
		No.23+No.24+No.25	No.26+No.27+No.28
Cadmium(Cd)	2	ND*	ND*
Conclusion	--	Pass	Pass

Test Item	LOQ (mg/kg)	Results (mg/kg)	
		No.29+No.30	No.38+No.39+No.40
Cadmium(Cd)	2	ND*	12*
Conclusion	--	Pass	Pass

Test Item	LOQ (mg/kg)	Results (mg/kg)		
		No.41	No.42+No.43	No.44+No.45
Cadmium(Cd)	2	ND	ND*	ND*
Conclusion	--	Pass	Pass	Pass

Test Item	LOQ (mg/kg)	Results (mg/kg)	
		No.48+No.49+No.50	No.51+No.52+No.53
Cadmium(Cd)	2	ND*	ND*
Conclusion	--	Pass	Pass



Report No.: WTF23F05107637A2C

Test Item	LOQ (mg/kg)	Results (mg/kg)	
		No.54+No.55+No.56	No.57+No.58
Cadmium(Cd)	2	ND*	ND*
Conclusion	--	Pass	Pass

Test Item	LOQ (mg/kg)	Results (mg/kg)	
		No.63+No.64+No.65	No.66+No.67+No.68
Cadmium(Cd)	2	ND*	ND*
Conclusion	--	Pass	Pass

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

- (5) "*" = Results are calculated by the minimum weight of mixed components.



Report No.: WTF23F05107637A2C

3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ (%)	Results (%)		Limit (%)
		No.38+No.39+No.40	No.41	
Benzyl butyl phthalate (BBP)	0.005	ND*	ND	sum of four phthalates < 0.1
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	0.059*	0.015	
Dibutyl phthalate (DBP)	0.005	0.011*	0.024	
Diisobutyl phthalate (DIBP)	0.005	ND*	ND	
Diisodecyl phthalate (DIDP)	0.01	ND*	ND	sum of three phthalates < 0.1
Diisononyl phthalate (DINP)	0.01	ND*	ND	
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND	
Conclusion	--	Pass	Pass	--

Test Items	LOQ (%)	Results (%)		Limit (%)
		No.48+No.49+No.50	No.51+No.52+No.53	
Benzyl butyl phthalate (BBP)	0.005	ND*	ND*	sum of four phthalates < 0.1
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	0.015*	ND*	
Dibutyl phthalate (DBP)	0.005	ND*	ND*	
Diisobutyl phthalate (DIBP)	0.005	ND*	ND*	
Diisodecyl phthalate (DIDP)	0.01	ND*	ND*	sum of three phthalates < 0.1
Diisononyl phthalate (DINP)	0.01	ND*	ND*	
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND*	
Conclusion	--	Pass	Pass	--



Report No.: WTF23F05107637A2C

Test Items	LOQ (%)	Results (%)		Limit (%)
		No.54+No.55 +No.56	No.57+No.58	
Benzyl butyl phthalate (BBP)	0.005	ND*	ND*	sum of four phthalates < 0.1
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	ND*	
Dibutyl phthalate (DBP)	0.005	ND*	ND*	
Diisobutyl phthalate (DIBP)	0.005	ND*	ND*	
Diisodecyl phthalate (DIDP)	0.01	ND*	ND*	sum of three phthalates < 0.1
Diisononyl phthalate (DINP)	0.01	ND*	ND*	
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND*	
Conclusion	--	Pass	Pass	--

Note:

DBP= Dibutyl phthalate BBP= Benzyl butyl phthalate DEHP= Bis-(2-ethylhexyl)- phthalate
 DINP= Di-isononyl phthalate DNOP= Di-n-octyl phthalate DIDP= Di-isodecyl phthalate
 DIBP= Diisobutyl phthalate

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.
- (6) "*" = Results are calculated by the minimum weight of mixed components.



Report No.: WTF23F05107637A2C

4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Amines Substances	CAS No.	Limit (mg/kg)	Result (mg/kg)	
				No.1+No.2+No.3	No.4+No.5+No.6
1	4-Aminobiphenyl	92-67-1	30	ND*	ND*
2	Benzidine	92-87-5	30	ND*	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*	ND*
4	2-Naphthylamine	91-59-8	30	ND*	ND*
5	o-Aminoazotoluene	97-56-3	30	ND*	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND*
7	p-Chloroaniline	106-47-8	30	ND*	ND*
8	2,4-diaminoanisol	615-05-4	30	ND*	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	ND*
14	p-cresinin	120-71-8	30	ND*	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND*
18	o-Toluidine	95-53-4	30	ND*	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND*
21	o-anisidine	90-04-0	30	ND*	ND*
22	4-aminoazobenzene	60-09-3	30	ND*	ND*
23	2,4-Xylidin	95-68-1	30	ND*	ND*
24	2,6-Xylidin	87-62-7	30	ND*	ND*
Conclusion		--	--	Pass	Pass



Report No.: WTF23F05107637A2C

No.	Amines Substances	CAS No.	Limit (mg/kg)	Result (mg/kg)	
				No.7+No.8 +No.9	No.59+No.60 +No.61
1	4-Aminobiphenyl	92-67-1	30	ND*	ND*
2	Benzidine	92-87-5	30	ND*	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*	ND*
4	2-Naphthylamine	91-59-8	30	ND*	ND*
5	o-Aminoazotoluene	97-56-3	30	ND*	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND*
7	p-Chloroaniline	106-47-8	30	ND*	ND*
8	2,4-diaminoanisol	615-05-4	30	ND*	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	ND*
14	p-cresinin	120-71-8	30	ND*	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND*
18	o-Toluidine	95-53-4	30	ND*	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND*
21	o-anisidine	90-04-0	30	ND*	ND*
22	4-aminoazobenzene	60-09-3	30	ND*	ND*
23	2,4-Xylidin	95-68-1	30	ND*	ND*
24	2,6-Xylidin	87-62-7	30	ND*	ND*
Conclusion		--	--	Pass	Pass



Report No.: WTF23F05107637A2C

No.	Amines Substances	CAS No.	Limit (mg/kg)	Result (mg/kg)	
				No.62	No.69+No.70 +No.71
1	4-Aminobiphenyl	92-67-1	30	ND	ND*
2	Benzidine	92-87-5	30	ND	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND	ND*
4	2-Naphthylamine	91-59-8	30	ND	ND*
5	o-Aminoazotoluene	97-56-3	30	ND	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND	ND*
7	p-Chloroaniline	106-47-8	30	ND	ND*
8	2,4-diaminoanisol	615-05-4	30	ND	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND	ND*
14	p-cresinin	120-71-8	30	ND	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND	ND*
18	o-Toluidine	95-53-4	30	ND	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND	ND*
21	o-anisidine	90-04-0	30	ND	ND*
22	4-aminoazobenzene	60-09-3	30	ND	ND*
23	2,4-Xylidin	95-68-1	30	ND	ND*
24	2,6-Xylidin	87-62-7	30	ND	ND*
Conclusion		--	--	Pass	Pass



Report No.: WTF23F05107637A2C

No.	Amines Substances	CAS No.	Limit (mg/kg)	Result (mg/kg)
				No.72
1	4-Aminobiphenyl	92-67-1	30	ND
2	Benzidine	92-87-5	30	ND
3	4-chloro-o-Toluidine	95-69-2	30	ND
4	2-Naphthylamine	91-59-8	30	ND
5	o-Aminoazotoluene	97-56-3	30	ND
6	2-Amino-4-nitrotoluene	99-55-8	30	ND
7	p-Chloroaniline	106-47-8	30	ND
8	2,4-diaminoanisol	615-05-4	30	ND
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND
10	3,3'-Dichlorobenzidine	91-94-1	30	ND
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND
12	3,3'-Dimethylbenzidine	119-93-7	30	ND
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND
14	p-cresinin	120-71-8	30	ND
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND
16	4,4'-Oxydianiline	101-80-4	30	ND
17	4,4'-Thiodianiline	139-65-1	30	ND
18	o-Toluidine	95-53-4	30	ND
19	2,4-Toluyldiamine	95-80-7	30	ND
20	2,4,5 – Trimethylaniline	137-17-7	30	ND
21	o-anisidine	90-04-0	30	ND
22	4-aminoazobenzene	60-09-3	30	ND
23	2,4-Xylidin	95-68-1	30	ND
24	2,6-Xylidin	87-62-7	30	ND
Conclusion		--	--	Pass

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006
- "*" = Results are calculated by the minimum weight of mixed components.



Report No.: WTF23F05107637A2C

5) Formaldehyde

Test Method: With reference to EN717-3:1996, analysis was performed by UV-VIS

Test Item	Unit	Result	MDL	Client's Limit
		No.33		
Formaldehyde (CH ₂ O)	mg/kg	27	10	80
Conclusion	--	Pass	--	--

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg =milligram per kilogram=ppm
- LOQ = Limit of quantitation
- The test sample of specimen No.33 is received on the date of 2023-06-19.

WALTEK



Report No.: WTF23F05107637A2C

6) Colour Fastness to Rubbing

Colour Fastness to Rubbing								
(ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.)								
		No.1	No.2	No.3	No.4	No.5	No.6	Client's Limit
Length	Dry staining	4-5	4-5	4-5	4-5	4-5	4-5	2-3
	Wet staining	4-5	4-5	4-5	4-5	4-5	4-5	2-3
Width	Dry staining	--	--	--	--	--	--	2-3
	Wet staining	--	--	--	--	--	--	2-3
Conclusion		Pass	Pass	Pass	Pass	Pass	Pass	--

Colour Fastness to Rubbing								
(ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.)								
		No.7	No.8	No.9	No.59	No.60	No.61	Client's Limit
Length	Dry staining	4-5	4-5	4-5	4-5	4-5	4-5	2-3
	Wet staining	4-5	4-5	4-5	4-5	4-5	4-5	2-3
Width	Dry staining	--	--	--	--	--	--	2-3
	Wet staining	--	--	--	--	--	--	2-3
Conclusion		Pass	Pass	Pass	Pass	Pass	Pass	--

Colour Fastness to Rubbing								
(ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.)								
		No.62	No.69	No.70	No.71	No.72	Client's Limit	
Length	Dry staining	4-5	4-5	4-5	4-5	4-5	2-3	
	Wet staining	4-5	4-5	4-5	4-5	4-5	2-3	
Width	Dry staining	--	--	--	--	--	2-3	
	Wet staining	--	--	--	--	--	2-3	
Conclusion		Pass	Pass	Pass	Pass	Pass	--	

Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.



Report No.: WTF23F05107637A2C

Description for Specimen:

Specimen No.	Specimen Description
1	Dark green main fabric
2	Black main fabric
3	Blue main fabric
4	Grey main fabric
5	Dark blue main fabric
6	Orange main fabric
7	Green main fabric
8	Dark red main fabric
9	Yellow main fabric
10	White main fabric
11	Dark green plastic loop(VELCRO)
12	Dark green plastic hook(VELCRO)
13	Black plastic loop(VELCRO)
14	Black plastic hook(VELCRO)
15	Blue plastic loop(VELCRO)
16	Blue plastic hook(VELCRO)
17	Light grey plastic loop(VELCRO)
18	Light grey plastic hook(VELCRO)
19	Dark blue plastic loop(VELCRO)
20	Dark blue plastic hook(VELCRO)
21	Orange plastic loop(VELCRO)
22	Orange plastic hook(VELCRO)
23	Green plastic loop(VELCRO)
24	Green plastic hook(VELCRO)
25	Dark red plastic loop(VELCRO)
26	Dark red plastic hook(VELCRO)
27	Yellow plastic loop(VELCRO)
28	Yellow plastic hook(VELCRO)
29	White plastic loop(VELCRO)



Report No.: WTF23F05107637A2C

Specimen No.	Specimen Description
30	White plastic hook(VELCRO)
31	Brown wood shell
32	Brown wood shaft
33	Brown wood handle
34	Silvery metal sheet
35	Silvery metal strip
36	Silvery metal rivet
37	Silvery metal pin
38	Black plastic shell
39	Black plastic bobbin
40	Black plastic bobbin
41	Black soft plastic gasket
42	Silvery metal strip with black coating
43	Silvery metal strip with black coating
44	Silvery metal strip with black coating
45	Silvery metal rivet with black coating
46	Silvery metal shaft
47	Silvery metal buckle
48	Black plastic bobbin
49	Black plastic bobbin
50	Dark blue plastic handle
51	Black plastic handle
52	Red plastic handle
53	Blue plastic handle
54	Silvery plastic handle
55	Dark blue plastic screw
56	Black plastic screw
57	Red plastic screw
58	Blue plastic screw



Report No.: WTF23F05107637A2C


Specimen No.	Specimen Description
59	Dark blue main fabric
60	Black main fabric
61	Red main fabric
62	Blue main fabric
63	Dark blue plastic loop(VELCRO)
64	Dark blue plastic hook(VELCRO)
65	Red plastic loop(VELCRO)
66	Red plastic hook(VELCRO)
67	Blue plastic loop(VELCRO)
68	Blue plastic hook(VELCRO)
69	Dark blue drawstring
70	Black drawstring
71	Red drawstring
72	Blue drawstring

WALTEK



Report No.: WTF23F05107637A2C

Photograph of parts tested:






Report No.: WTF23F05107637A2C





Report No.: WTF23F05107637A2C






Report No.: WTF23F05107637A2C





Report No.: WTF23F05107637A2C





Report No.: WTF23F05107637A2C

Remarks:

1. The results shown in this test report refer only to the sample(s) tested;
2. This test report cannot be reproduced, except in full, without prior written permission of the company;
3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

WALTEK