



#### Item number KC5131-02

#### Item description

23 inch auto open umbrella in 190T polyester with wooden shaft, tips and top. Black plated metal ribs. Curved natural finish wooden handle.

Part	Component description	Position	Material	Weight Percentage
1	Handle	Handle	Plywood	20,00%
2	Long ribs	Frame inside the cover fabric	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	20,00%
3	Cover fabric	Outside	Polyester (PET)	19,00%
4	Shaft	Middle	Plywood	17,00%
5	Short ribs	Frame inside the cover fabric	Iron	15,00%
6	ROSETIE-COVERING CROWN OF RUNNER	Middle	Polyamide (PA)	5,00%
7	Tips	End of long ribs	Plywood	3,00%
8	Ferrule	End of shaft	Polyamide (PA)	0,50%
9	Top cap	Middle of cover fabric	Polyamide (PA)	0,24%
10	Spring	Middle of the shaft	Iron	0,08%
11	Screw	On the ribs	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,06%



12	Top notch	Top of the shaft	Polyamide (PA)	0,04%
13	Transparent sheet	Top of the shaft	Polypropylene (PP)	0,02%
14	Button (Silvery part)	Bottom of the shaft	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,02%
15	Button (Golden part)	Bottom of the shaft	Polyethylene (PE)	0,02%
16	Thread	Stitching part on tip and rim	Nylon 6	0,02%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, <u>Wood</u> , Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	⊠Yes	□No
---------------------------	------	-----

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















#### **Trademarks of material**

. . . . . .

### Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.





Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	10	50	-	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





#### Item number KC5131-03

#### Item description

23 inch auto open umbrella in 190T polyester with wooden shaft, tips and top. Black plated metal ribs. Curved natural finish wooden handle.

Part	Component description	Position	Material	Weight Percentage
1	Handle	Handle	Plywood	20,00%
2	Long ribs	Frame inside the cover fabric	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	20,00%
3	Cover fabric	Outside	Polyester (PET)	19,00%
4	Shaft	Middle	Plywood	17,00%
5	Short ribs	Frame inside the cover fabric	Iron	15,00%
6	ROSETIE-COVERING CROWN OF RUNNER	Middle	Polyamide (PA)	5,00%
7	Tips	End of long ribs	Plywood	3,00%
8	Ferrule	End of shaft	Polyamide (PA)	0,50%
9	Top cap	Middle of cover fabric	Polyamide (PA)	0,24%
10	Spring	Middle of the shaft	Iron	0,08%
11	Screw	On the ribs	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,06%



12	Top notch	Top of the shaft	Polyamide (PA)	0,04%
13	Transparent sheet	Top of the shaft	Polypropylene (PP)	0,02%
14	Button (Silvery part)	Bottom of the shaft	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,02%
15	Button (Golden part)	Bottom of the shaft	Polyethylene (PE)	0,02%
16	Thread	Stitching part on tip and rim	Nylon 6	0,02%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, <u>Wood</u> , Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	⊠Yes	□No
---------------------------	------	-----

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

#### End of life suggestion

















#### **Trademarks of material**

#### Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.





Piec	ce	Inner Carton	Carton	mo box	Polybag	Packaging
1		10	50	-	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





#### Item number KC5131-04

#### Item description

23 inch auto open umbrella in 190T polyester with wooden shaft, tips and top. Black plated metal ribs. Curved natural finish wooden handle.

Part	Component description	Position	Material	Weight Percentage
1	Handle	Handle	Plywood	20,00%
2	Long ribs	Frame inside the cover fabric	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	20,00%
3	cover fabric	outside	Polyester (PET)	19,00%
4	Shaft	Middle	Plywood	17,00%
5	Short ribs	Frame inside the cover fabric	Iron	15,00%
6	ROSETIE-COVERING CROWN OF RUNNER	Middle	Polyamide (PA)	5,00%
7	Tips	End of long ribs	Plywood	3,00%
8	Ferrule	End of shaft	Polyamide (PA)	0,50%
9	Top cap	Middle of cover fabric	Polyamide (PA)	0,24%
10	Spring	Middle of the shaft	Iron	0,08%
11	Screw	On the ribs	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,06%



			5	
12	Top notch	Top of the shaft	Polyamide (PA)	0,04%
13	Transparent sheet	Top of the shaft	Polypropylene (PP)	0,02%
14	Button (Silvery part)	Bottom of the shaft	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25%	0,02%
			- Copper 0.25% - Iron 98.19%	
15	Button (Golden part)	Bottom of the shaft	Polyethylene (PE)	0,02%
16	Thread	Stitching part on tip and rim	Nylon 6	0,02%
			Total	100,00%

Non-biodegradable  Non-biodegradable  PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon  Biodegradable (industrial)  PBAT  PLA/ABS, Wheat Straw/PP, Wheat Straw/PP, Coffee Husk/ABS, Bamboo/PP, Coffee Husk/ABS, Polyester/Latex  Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather	Material information	Petrochemical	Partly Biobased	Biobased
Biodegradable (industrial)  PBAT  PLA/BPAT  PlayBPAT  Pl	Non-biodegradable	PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE,	Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS,	
	O .	PBAT	PLA/BPAT	Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, <u>Wood</u> , Marble Cocos Oil, Rubber, Hemp, Jute, Wood,

Recyclability of material
---------------------------

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

#### End of life suggestion

















#### **Trademarks of material**

#### Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.





Piec	ce	Inner Carton	Carton	mo box	Polybag	Packaging
1		10	50	-	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number KC5131-05

#### Item description

23 inch auto open umbrella in 190T polyester with wooden shaft, tips and top. Black plated metal ribs. Curved natural finish wooden handle.

Part	Component description	Position	Material	Weight Percentage
1	Handle	Handle	Plywood	20,00%
2	Long ribs	Frame inside the cover fabric	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	20,00%
3	cover fabric	outside	Polyester (PET)	19,00%
4	Shaft	Middle	Plywood	17,00%
5	Short ribs	Frame inside the cover fabric	Iron	15,00%
6	ROSETIE-COVERING CROWN OF RUNNER	Middle	Polyamide (PA)	5,00%
7	Tips	End of long ribs	Plywood	3,00%
8	Ferrule	End of shaft	Polyamide (PA)	0,50%
9	Top cap	Middle of cover fabric	Polyamide (PA)	0,24%
10	Spring	Middle of the shaft	Iron	0,08%
11	Screw	On the ribs	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,06%



			5	
12	Top notch	Top of the shaft	Polyamide (PA)	0,04%
13	Transparent sheet	Top of the shaft	Polypropylene (PP)	0,02%
14	Button (Silvery part)	Bottom of the shaft	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25%	0,02%
			- Copper 0.25% - Iron 98.19%	
15	Button (Golden part)	Bottom of the shaft	Polyethylene (PE)	0,02%
16	Thread	Stitching part on tip and rim	Nylon 6	0,02%
			Total	100,00%

Non-biodegradable  Non-biodegradable  PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon  Biodegradable (industrial)  PBAT  PLA/ABS, Wheat Straw/PP, Wheat Straw/PP, Coffee Husk/ABS, Bamboo/PP, Coffee Husk/ABS, Polyester/Latex  Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather	Material information	Petrochemical	Partly Biobased	Biobased
Biodegradable (industrial)  PBAT  PLA/BPAT  PlayBPAT  Pl	Non-biodegradable	PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE,	Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS,	
	O .	PBAT	PLA/BPAT	Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, <u>Wood</u> , Marble Cocos Oil, Rubber, Hemp, Jute, Wood,

Recyclability of material
---------------------------

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

#### End of life suggestion

















#### **Trademarks of material**

#### Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.





Piec	ce	Inner Carton	Carton	mo box	Polybag	Packaging
1		10	50	-	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





#### Item number KC5131-06

#### Item description

23 inch auto open umbrella in 190T polyester with wooden shaft, tips and top. Black plated metal ribs. Curved natural finish wooden handle.

Part	Component description	Position	Material	Weight Percentage
1	Handle	Handle	Plywood	20,00%
2	Long ribs	Frame inside the cover fabric	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	20,00%
3	cover fabric	outside	Polyester (PET)	19,00%
4	Shaft	Middle	Plywood	17,00%
5	Short ribs	Frame inside the cover fabric	Iron	15,00%
6	ROSETIE-COVERING CROWN OF RUNNER	Middle	Polyamide (PA)	5,00%
7	Tips	End of long ribs	Plywood	3,00%
8	Ferrule	End of shaft	Polyamide (PA)	0,50%
9	Top cap	Middle of cover fabric	Polyamide (PA)	0,24%
10	Spring	Middle of the shaft	Iron	0,08%
11	Screw	On the ribs	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,06%



12	Top notch	Top of the shaft	Polyamide (PA)	0,04%
13	Transparent sheet	Top of the shaft	Polypropylene (PP)	0,02%
14	Button (Silvery part)	Bottom of the shaft	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,02%
15	Button (Golden part)	Bottom of the shaft	Polyethylene (PE)	0,02%
16	Thread	Stitching part on tip and rim	Nylon 6	0,02%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, <u>Wood</u> , Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	⊠Yes	□No
---------------------------	------	-----

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

#### End of life suggestion

















#### **Trademarks of material**

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.





Piec	ce	Inner Carton	Carton	mo box	Polybag	Packaging
1		10	50	-	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





#### Item number KC5131-07

#### Item description

23 inch auto open umbrella in 190T polyester with wooden shaft, tips and top. Black plated metal ribs. Curved natural finish wooden handle.

Part	Component description	Position	Material	Weight Percentage
1	Handle	Handle	Plywood	20,00%
2	Long ribs	Frame inside the cover fabric	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	20,00%
3	cover fabric	outside	Polyester (PET)	19,00%
4	Shaft	Middle	Plywood	17,00%
5	Short ribs	Frame inside the cover fabric	Iron	15,00%
6	ROSETIE-COVERING CROWN OF RUNNER	Middle	Polyamide (PA)	5,00%
7	Tips	End of long ribs	Plywood	3,00%
8	Ferrule	End of shaft	Polyamide (PA)	0,50%
9	Top cap	Middle of cover fabric	Polyamide (PA)	0,24%
10	Spring	Middle of the shaft	Iron	0,08%
11	Screw	On the ribs	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,06%



12	Top notch	Top of the shaft	Polyamide (PA)	0,04%
13	Transparent sheet	Top of the shaft	Polypropylene (PP)	0,02%
14	Button (Silvery part)	Bottom of the shaft	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,02%
15	Button (Golden part)	Bottom of the shaft	Polyethylene (PE)	0,02%
16	Thread	Stitching part on tip and rim	Nylon 6	0,02%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, <u>Wood</u> , Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	⊠Yes	□No
---------------------------	------	-----

Recycled material	Natural material	Reused waste material	
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No	

End of life suggestion

















#### **Trademarks of material**

. . . . .

### Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.





Piec	ce	Inner Carton	Carton	mo box	Polybag	Packaging
1		10	50	-	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





#### Item number KC5131-09

#### Item description

23 inch auto open umbrella in 190T polyester with wooden shaft, tips and top. Black plated metal ribs. Curved natural finish wooden handle.

Part	Component description	Position	Material	Weight Percentage
1	Handle	Handle	Plywood	20,00%
2	Long ribs	Frame inside the cover fabric	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	20,00%
3	cover fabric	outside	Polyester (PET)	19,00%
4	Shaft	Middle	Plywood	17,00%
5	Short ribs	Frame inside the cover fabric	Iron	15,00%
6	ROSETIE-COVERING CROWN OF RUNNER	Middle	Polyamide (PA)	5,00%
7	Tips	End of long ribs	Plywood	3,00%
8	Ferrule	End of shaft	Polyamide (PA)	0,50%
9	Top cap	Middle of cover fabric	Polyamide (PA)	0,24%
10	Spring	Middle of the shaft	Iron	0,08%
11	Screw	On the ribs	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,06%



12	Top notch	Top of the shaft	Polyamide (PA)	0,04%
13	Transparent sheet	Top of the shaft	Polypropylene (PP)	0,02%
14	Button (Silvery part)	Bottom of the shaft	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,02%
15	Button (Golden part)	Bottom of the shaft	Polyethylene (PE)	0,02%
16	Thread	Stitching part on tip and rim	Nylon 6	0,02%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, <u>Wood</u> , Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	⊠Yes	□No
---------------------------	------	-----

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















#### **Trademarks of material**

.

### Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.





Piec	e	Inner Carton	Carton	mo box	Polybag	Packaging
1		10	50	-	Υ	Per piece in a PP polybag each handle should have plastic shrink protection.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





#### Item number KC5131-10

#### Item description

23 inch auto open umbrella in 190T polyester with wooden shaft, tips and top. Black plated metal ribs. Curved natural finish wooden handle.

Part	Component description	Position	Material	Weight Percentage
1	Handle	Handle	Plywood	20,00%
2	Long ribs	Frame inside the cover fabric	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	20,00%
3	cover fabric	outside	Polyester (PET)	19,00%
4	Shaft	Middle	Plywood	17,00%
5	Short ribs	Frame inside the cover fabric	Iron	15,00%
6	ROSETIE-COVERING CROWN OF RUNNER	Middle	Polyamide (PA)	5,00%
7	Tips	End of long ribs	Plywood	3,00%
8	Ferrule	End of shaft	Polyamide (PA)	0,50%
9	Top cap	Middle of cover fabric	Polyamide (PA)	0,24%
10	Spring	Middle of the shaft	Iron	0,08%
11	Screw	On the ribs	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,06%



12	Top notch	Top of the shaft	Polyamide (PA)	0,04%
13	Transparent sheet	Top of the shaft	Polypropylene (PP)	0,02%
14	Button (Silvery part)	Bottom of the shaft	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,02%
15	Button (Golden part)	Bottom of the shaft	Polyethylene (PE)	0,02%
16	Thread	Stitching part on tip and rim	Nylon 6	0,02%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, <u>Wood</u> , Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	⊠Yes	□No
---------------------------	------	-----

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















#### **Trademarks of material**

.

### Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.





Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	10	50	-	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





#### Item number KC5131-37

#### Item description

23 inch auto open umbrella in 190T polyester with wooden shaft, tips and top. Black plated metal ribs. Curved natural finish wooden handle.

Part	Component description	Position	Material	Weight Percentage
1	Handle	Handle	Plywood	20,00%
2	Long ribs	Frame inside the cover fabric	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	20,00%
3	cover fabric	outside	Polyester (PET)	19,00%
4	Shaft	Middle	Plywood	17,00%
5	Short ribs	Frame inside the cover fabric	Iron	15,00%
6	ROSETIE-COVERING CROWN OF RUNNER	Middle	Polyamide (PA)	5,00%
7	Tips	End of long ribs	Plywood	3,00%
8	Ferrule	End of shaft	Polyamide (PA)	0,50%
9	Top cap	Middle of cover fabric	Polyamide (PA)	0,24%
10	Spring	Middle of the shaft	Iron	0,08%
11	Screw	On the ribs	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,06%



12	Top notch	Top of the shaft	Polyamide (PA)	0,04%
13	Transparent sheet	Top of the shaft	Polypropylene (PP)	0,02%
14	Button (Silvery part)	Bottom of the shaft	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,02%
15	Button (Golden part)	Bottom of the shaft	Polyethylene (PE)	0,02%
16	Thread	Stitching part on tip and rim	Nylon 6	0,02%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, <u>Wood</u> , Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

|--|

Recycled material	Natural material	Reused waste material	
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No	

End of life suggestion

















#### **Trademarks of material**

.

### Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.





Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	10	50	-	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela