Report No.: STSGZ2401173054E Date: 30-Jan-2024 Page 1 of 14 Mid Ocean Brands B.V. **Applicant:** 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong Address: The following sample(s) and sample information was/were submitted and identified by client as: Sample Name: Glass tumbler MO9992 Model/Style/Item #: 17-Jan-2024 **Receiving Date:** From 17-Jan-2024 to 26-Jan-2024 **Test Period:** Add Information:

## **Test Summary:**

#	Test Item(s)	Reference Standard/Method	Result	
1	Polycyclic-aromatic hydrocarbons (PAHs) content Item 50 of Annex XVII of REACH Regulation (EC) 1907/2006 & amendment (EU) No 1272/2013	AfPS-GS-2019-01:PAK, determined by GC-MS	PASS	
2	Phthalate content (DIBP、DEHP、DBP、BBP、 DINP、DIDP、DNOP) -Item 51&52 of Annex XVII of REACH Regulation (EC) 1907/2006.	EN 14372:2004 & IEC 62321-8:2017, determined by GC-MS	PASS	
3	Total Lead content - Item 63 of Annex XVII of REACH Regulation (EC) 1907/2006	IEC 62321-5:2013, determined by AAS	PASS	
4	Cadmium content - Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006	IEC 62321-5:2013, determined by AAS	PASS	
5	Microwave safe test	BS EN 15284:2007	PASS	
6	Dishwasher safe test (complied with the specification of dishwasher safe test according to PAS 54:2003)	BS EN 12875-1:2005	PASS	

Signed for and on behalf of S ESTING SERVICE Tim Qi (Technical Director)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com e-mail: stsgz@stsapp.com

Report No.: STSGZ2401173054E

Date: 30-Jan-2024

Page 2 of 14

#	Test Item(s)	Reference Standard/Method	Result	
Reg	julation (EC) No 1935/2004 and Council of Europ	e Resolution AP (2004) 5- For Silicone Mate	rial	
7	Overall migration EN 1186-1:2002 & EN 1186-3		PASS	
8	Bisphenol A Contents	In-house Method, determined by LC- MS-MS	PASS	
9	Specific migration of Bisphenol A (BPA)	DD CEN/TS 13130-13:2005, determined by LC-MS-MS	PASS	
Fre	nch Arrêté du 25 Novembre 1992 and French Déc	cret 2007-766 with amendments - For Silicor	e Material	
10	Overall migration	EN 1186-1:2002 & EN 1186-3:2022	PASS	
11	Peroxide Value	Europe pharmacopoeia,9.0 chapter 2.5.5.	PASS	
12	Specific migration of Organotin (as Tin)	EN 13130-1: 2004, determined by ICP-OES		
13	Volatile organic matter	French Arrêté du Novembre 1992 Annex III.	PASS	
14	Bisphenol A Contents	In-house Method, determined by LC- MS-MS	PASS	
15	- F 3	DD CEN/TS 13130-13:2005, determined by LC-MS-MS	PASS	
	ulation (EC) No 1935/2004, the Council of Europe Glass Material	e Directive 84/500/EEC and its amendment 2	2005/31/EC	
16	Extractable Lead, Cadmium	EN 1388-1:1995, determined by AAS	PASS	
DG	CCRF DM/4B/COM/002			
17	Leachable Lead, Cadmium	EN 1388-1:1995, determined by AAS	PASS	

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China e-mail: st Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com

e-mail: stsgz@stsapp.com





Date: 30-Jan-2024

Page 3 of 14

## **Result:**

### 1. Polycyclic-aromatic hydrocarbons (PAHs) content - Item 50 of Annex XVII of REACH Regulation (EC) 1907/2006 & amendment (EU) No 1272/2013 AfPS-GS-2019-01:PAK, determined by GC-MS

		Ma	terial		
	Compound	categ	category I <sup>*1</sup>		
		1	2	(mg/kg)	(mg/kg)
1	Benz[a]anthracene(BaA) CAS#56-55-3	N.D.	N.D.	1	0.2
2	Chrysene(CHR) CAS#218-01-9	N.D.	N.D.	1	0.2
3	Benz[b]fluoranthene(BbFA) CAS#205-99-2	N.D.	N.D.	1	0.2
4	Benz[k]fluoranthene(BkFA) CAS#207-08-9	N.D.	N.D.	1	0.2
5	Benz[j]fluoranthene(BjFA) CAS#205-82-3	N.D.	N.D.	1	0.2
6	Benzo[a]pyrene(BaP) CAS#50-32-8	N.D.	N.D.	1	0.2
7	Benzo[e]pyrene(BeP) CAS#192-97-2	N.D.	N.D.	1	0.2
8	Dibenz [a,h]anthracene (DBahA) CAS#53-70-3	N.D.	N.D.	1	0.2
	Conclusion	PASS	PASS	-	-

Remark:

(a) mg/kg: milligram per kilogram (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

1: Material category

Category I: Articles come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use.

Category II : Toys, including activity toys, and childcare articles, that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use.

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.



## REPORT TEST

Report No.: STSGZ2401173054E

Date: 30-Jan-2024

Page 4 of 14

### 2. Phthalate content (DIBP、DEHP、DBP、BBP、DINP、DIDP、DNOP) - Item 51& 52 of Annex XVII of **REACH Regulation (EC) 1907/2006**

EN 14372:2004 & IEC 62321-8:2017, determined by GC-MS

		0	м	Material		
	Compound		1	2	(%)	(%)
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	N.D.	-	0.005
2	BBP	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	N.D.	-	0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	N.D.	-	0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	- (	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	-	0.005
6	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	N.D.	-	0.005
7	DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	-	0.005
8	Sum of 1, 2, 3 & 4		N.D.	N.D.	0.1	-
9	9 Sum of 5, 6 & 7		N.D.	N.D.	0.1	<u> </u>
	Conclu	sion	PASS	PASS	-	-

Remark(s): (a) RL: Report limit

(b) N.D.: Not detected (result is less than RL)

#### Total Lead content - Item 63 of Annex XVII of REACH Regulation (EC) 1907/2006 3. IEC 62321-5:2013, determined by AAS

	Compound		Limit	RL		
	Compound	1	2	3	(mg/kg)	(mg/kg)
1	Lead(Pb) CAS#7439-92-1	N.D.	N.D.	N.D.	500	10
	Conclusion	PASS	PASS	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit (c) N.D.: Not detected (result is less than RL)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.





Date: 30-Jan-2024

Page 5 of 14

### 4. Cadmium content - Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006 IEC 62321-5:2013, determined by AAS

		Res	sult(s)	Limit	RL (mg/kg)
	Compound	1	2	(mg/kg)	
1	Cadmium (Cd) CAS#7440-43-9	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

### 5. Microwave safe test BS EN 15284:2007

Sample I	Descriptio	on: Article							I
	Ú	Max surface Temperatur		Visual dama	age checking	required for p	lastic sample		
Sample	Arcing	Arcing e of sample after short Short	Short perio	ort period of heating			Rating		
		period heating(℃)	Cracking	Color	Melting	Deformati on	Suitability for re-use	Charring	
4A	0	31.2	0	0	0	0	0	0	Pass
4B	0	31.0	0	0	0	0	0	0	Pass
4C	0	32.0	0	0	0	0	0	0	Pass

		Max surface Temperatur		Visual dama	ge checking	required for p	lastic sample	)	
Sample	e Arcing	e of sample	long period of heating						
			Cracking	Color	Melting	Deformati on	Suitability for re-use	Charring	1
4A	0	31.2	0	0	0	0	0	0	Pass
4B	0	31.0	0	0	0	0	0	0	Pass
4C	0	32.0	0	0	0	0	0	0	Pass

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.





Date: 30-Jan-2024

Page 6 of 14

**Requirement:** 

	The maximum surface temperature after short period heating shall not exceed the following limit value:
Ceramic, glass-ceramic or glass	<b>56℃</b>
Plastics:	<b>60</b> °C

Observation Parameter(s)	Visual damage checking required for the	he sample	
Cracking	No visible change		51-
Color <sup>a</sup>	No visible change		$\sim$
Melting <sup>b</sup>	No visible change		
Deformation	No visible change		
Suitability for re-use <sup>c</sup>	Suitable for reuse		
Charring	No visible change		

Remark(s): (1) <sup>a</sup> = if several colours are present on one article to be inspected, the colour with the greatest change shall be chosen (2) <sup>b</sup> = article shall not be too soft to handle (3) <sup>c</sup> = article shall be washable and stain resistant

### Dishwasher safe test (complied with the specification of dishwasher safe test according to PAS 54:2003) 6. BS EN 12875-1:2005

	Sample	4A	4B	4C
	Color <sup>1)</sup>	0	0	0
	Gloss	0	0	0
After 10 cycles	Clouding	0	0	0
	Resistant deposits and iridescent layers <sup>2)</sup>	0	0	0
	Other aspects	0	0	0

1). If several colours are present on one article to be inspected, the colour with the greatest change shall be chosen. Remark(s): 2).For the elimination of easily removable deposits. 3).See photo bar for test photos

Note: Pictures are for reference only. Actual colours of the pictures may vary due to lighting and output process. Evaluation of inspection criteria quoted from BS EN 12875-1:2005.

Classification	Rating	
0	No visible change	51.
1	First discernible change	$\sim$
2	Clearly visible change	

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.



Date: 30-Jan-2024

Page 7 of 14

Requirements quoted from Publicly Available Specification PAS 54: 2003 Articles that are designated "dishwasher resistant", "dishwasher proof", "dishwasher safe" or any other similar description that suggests that the articles can be safety cleaned in a dishwasher shall, either show no visible change compared with untreated tableware (Classification 0) or show very slightly visible change(Classification 1) but shall not show clearly visible change (Classification 2)

### Regulation (EC) No 1935/2004 and Council of Europe Resolution AP (2004) 5 - For Silicone Material

### 7. Overall Migration

## EN 1186-1:2002 & EN 1186-3:2022

Test specification		specification Result(s)		RL (mg/dm²)	
1	3% Acetic acid, 70℃, 2h	N.D.	10	3	
2	50% Ethanol, 70°C, 2h	N.D.	10	3	
	Conclusion	PASS	-	-	

Remark(s): (a) mg/dm<sup>2</sup>: milligram square decimetre (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

### 8. Bisphenol A (BPA) content In-house Method, determined by LC-MS-MS

	Test Item	Material	Client's Limit	RL
rest item		1		(mg/kg)
_1	Bisphenol A	N.D.	Not Detected	0.01
	Conclusion	PASS	-	-

Remark(s): (a) RL: Report limit

(b) N.D.: Not detected (result is less than RL)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.



Date: 30-Jan-2024

Page 8 of 14

### 9. Specific migration of Bisphenol A DD CEN/TS 13130-13:2005, determined by LC-MS-MS

Test Condition: 3% Acetic acid, 70℃, 2h

	O	Material	Limit	RL	
Compound		<b>1</b> -3rd	(mg/kg)	(mg/kg)	
1	Bisphenol A (BPA)	N.D.	0.05	0.01	
	Conclusion	PASS	-	-	

(a) mg/kg: milligram per kilogram (b) RL: Report limit Remark(s):

(c) N.D.: Not detected (result is less than RL)

## French Arrêté du 25 Novembre 1992 and French Décret 2007-766 with amendments - For Silicone Material

### 10.

Overall migration EN 1186-1:2002 & EN 1186-3:2022

		Result(s)	Limit	RL
	Test specification	<b>1</b> - <sup>3rd</sup>	(mg/dm²)	(mg/dm²)
1	3% Acetic acid,70℃, 2h	N.D.	10	3
2	50% Ethanol, 70℃, 2h	N.D.	10	3
	Conclusion	PASS	-	-

Remark(s): (a) mg/dm2: milligram square decimetre

(b) RL: Report limit
(c) N.D.: Not detected (result is less than RL)

#### 11. **Peroxide Value**

Europe pharmacopoeia, 9.0 chapter 2.5.5.

		Material		
Compound		1	Requirement	
1	Peroxide Value	Negative	Negative	
	Conclusion	PASS	-	

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.



Report No.: STSGZ2401173054E

Date: 30-Jan-2024

Page 9 of 14

### 12. Specific migration of Organotin(as Tin) EN 13130-1:2004, determined by ICP-OES

Test condition: 3% Acetic acid, 70°C, 2h

Compound		Material	Limit	RL	
	Compound	pound 1		(mg/kg)	
1	Organotin(as Sn)	N.D.	0.1	0.01	
	Conclusion	PASS	-	-	

Remark(s): (a) mg/kg: milligram per kilogram

(b) RL: Report limit
(c) N.D.: Not detected (result is less than RL)

#### 13. Volatile organic matter French Arrêté du Novembre 1992 Annex III.

### Test condition: 200°C. 4h

	0 ann ann d	Material	Limit	RL
	Compound	1	(%)	(%)
1	Volatile Compounds	N.D.	0.5	0.1
	Conclusion	PASS	-	-

Remark(s): (a) RL: Report limit

## 14. Bisphenol A Contents

In-house Method, determined by LC-MS-MS

Compound		Material 1	Limit (mg/kg)	RL (mg/kg)
1	Bisphenol A	N.D.	Prohibit	0.1
	Conclusion	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.



Date: 30-Jan-2024

Page 10 of 14

### 15. Specific migration of Bisphenol A DD CEN/TS 13130-13:2005, determined by LC-MS-MS

Test Condition: 3% Acetic acid, 70°C, 2h

		Material	Limit	RL	
	Compound	1 <sup>-3rd</sup>	(mg/kg)	(mg/kg)	
1	Bisphenol A (BPA)	N.D.	Prohibit	0.01	
	Conclusion	PASS	-	-	

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

### Regulation (EC) No 1935/2004, the Council of Europe Directive 84/500/EEC and its amendment 2005/31/EC - For **Glass Material**

#### 16. Extractable Lead, Cadmium

EN 1388-1:1995, determined by AAS

### Test Condition: 4% Acetic acid. 22°C. 24h

	Testeresification	Result(s)	Limit	RL	
Test specification		3	(mg/L)	(mg/L)	
1	Lead (Pb)	N.D.	4	0.1	
2	Cadmium (Cd)	N.D.	0.3	0.01	
	Conclusion	PASS	-	-	

Remark(s): (a) mg/L: milligram per litre

(b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Date: 30-Jan-2024

Page 11 of 14

### DGCCRF DM/4B/COM/002

### 17. Leachable Lead, Cadmium EN 1388-1:1995, determined by AAS

Test Condition: 4% Acetic acid, 22°C, 24h

				Material						
	Compound			3 Category 4 <sup>*1</sup>					Limit	RL (mg/article)
									(mg/article)	
			Α	В	С	D	Avg.			
1		Lead (Pb)		N.D.	N.D.	N.D.	N.D.	N.D.	2	0.1
2		Cadmium (Cd)	E	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	0.1
		Conclusion				PASS			-	-

Remark(s): (a) mg/article: Milligrams per piece

(b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

\*1: Categories of samples:

Category 1: Flatware, articles which cannot be filled and articles which can be filled, the internal depth of which, measured from the lowest point to the horizontal plane passing through the upper rim, does not exceed 25 mm.

Category 2: Articles, not in category 1 or 3, which can be filled.

Category 3: Packaging and storage vessels having a capacity of more than 3 L and cooking ware.

Category 4: Drinking rim

### **Material List:**

Material #	Position / Sample Description	Material
1	Green silica gel,ring	silica gel
2	Green silica gel,lid	silica gel
3	Transparent glass,cup	glass
4	Article	-

Remark(s): The test material point is selected by client, the chemical test conclusions in the report only apply to the test material.

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.






Report No.: STSGZ2401173054E

Date: 30-Jan-2024

Page 12 of 14

## Photo(s):



This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.



Guangzhou Depuhua Test Services Co. Ltd.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com

e-mail: stsgz@stsapp.com



Date: 30-Jan-2024

Page 14 of 14



Guangzhou Depuhua Test Services Co. Ltd.

## 签发测试报告条款

### Conditions of Issuance of Test Reports



广州市德普华检测技术有限公司(以下简称[公司])为提供符合下述条款的测试和报告,而接受有关样品和货品。本公司基于下述条款提供服务, 下述条款为本公司与申请服务的个人,企业或公司(以下简称[客户])的协议。



下述条款为本公司与申请服务的个人,企业或公司(以下简称[客户])的协议。 All samples and goods are accepted by the Guangzhou Depuhua Test Services Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the "Clients").

2. 由此测试申请所发出的任何报告(以下简称[报告]),本公司会严格为客户保密。未经本公司的书面同意,报告的整体或部分不得复制,也不得用 于广告或授权的其他用途。然而,客户可以将本公司印制的报告或认可的副本,向其客户、供货商或直接相关的其它人出示或提交。除非相关 政府部门、法律或法规要求,否则未经客户同意,本公司不得将报告内容向任何第三方讨论或披露。

Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it. or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court order.

- 除非相关政府部门、法律或法院要求,否则未经公司预先书面同意,本公司毋需,也并无义务到法院对有关报告作证。
   The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. 除非本公司进行抽样,并已在报告中说明,否则报告中适用于送测的样品(样品信息为客户提供),不适用于批量。 The Report refers only to the tested sample (Sample information is provided by customer) and does not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report.

如果本公司确定报告被不当地使用,本公司保留撤回报告的权利,并有权要求其它适当的额外赔偿。 In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

- 6. 本公司接受样品进行测试的前提是,该测试报告不能作为针对本公司法律行动的依据。 Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 7. 如因使用本公司中心任何报告内的资料,或任何传播信息所描述与之有关的测试或研究导致的任何损失或损害,本公司概不负责。 The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 若需要在法院审理程序或者仲裁过程中使用测试报告,客户必须在提交测试样品前将该意图告知本公司。
   Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 9. 该测试报告的支持数据和信息本公司保存 10 年。个别评审机构有特别要求的,检测数据和报告的保存期可依情况变动。一旦超过上述提交的保存期限,数据和信息将被处理掉。任何情况下,本公司不必提供任何被处理的过期数据或信息。即使本公司事先被告知可能会发生相关的损害,本公司在任何情况下也不必承担任何损害,包括(但不限于)补偿性赔偿、利润损失、数据遗失、或任何形式的特殊损害、附带损害、间接损害、从属损害或任何违反约定、违反承诺、侵权(包括疏忽)、产品责任或其他原因的惩罚性损害。
  Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of ten years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

 报告的签发记录可通过登录 www.stsgz.com 查询。如需进一步查询报告有效性或核实报告,需与本公司联系。 Issuance records of the Report are available on the internet at www.stsgz.com. Further enquiry of validity or verification of the Report should be addressed to the company.

