



Item number MO8539-03

Item description

Bicycle bell made of aluminium and ABS.

Part	Component description	Position	Material	Weight Percentage
1	Bell cover	Тор	Aluminum alloy - Aluminum 96.85% - Magnesium 0.9% - Iron 0.7% - Silicon 0.35% - Chromium 0.35% - Copper 0.3% - Zinc 0.25% - Titanium 0.15% - Manganese 0.15%	57,14%
2	Base	Bottom	Acrylonitrile Butadiene Styrene (ABS)	28,57%
3	Printing area	Тор	Aluminum alloy - Aluminum 96.85% - Magnesium 0.9% - Iron 0.7% - Silicon 0.35% - Chromium 0.35% - Copper 0.3% - Zinc 0.25% - Titanium 0.15% - Manganese 0.15%	11,43%
4	Screw	Bottom	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	2,86%
			Total	100,00%



Non-blodegradable ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon Husk/PP, Coffee Husk/ABS, Polyester/Latex Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil Rubber, Hemp, Jute, Wood, Marble Cocos Oil Rubber, Hemp, Jute, Wood, Models Cocos Oil Rubber, Hemp, Models	Material information	Petrochemical	Partly Biobased	Biobased
Biodegradable (industrial) PBAT PLA/BPAT PLA/BPAT PLA/BPAT PLA/BPAT PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil Rubber, Hemp, Jute, Wood, Memory, Temporal Rubber, Hemp, Jute, Wood, Morble Cocos Oil Rubber, Hemp, Jute, Wood, Memory, Temporal Rubber, Hemp, Temporal Rubber,	Non-biodegradable	PVC, <u>ABS</u> , VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE,	Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS,	Glass, Basalt Stone, Ceramic, Chalk
Maible, Edution	9	PBAT	PLA/BPAT	Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil,

Recyclability of material	⊠Yes	□No
---------------------------	------	-----

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

-

Packaging and Transport

i ackagiiig	j and mansport				
Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	70	280			_

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO8539-04

Item description

Bicycle bell made of aluminium and ABS.

Part	Component description	Position	Material	Weight Percentage
1	Bell cover	Тор	Aluminum alloy - Aluminum 96.85% - Magnesium 0.9% - Iron 0.7% - Silicon 0.35% - Chromium 0.35% - Copper 0.3% - Zinc 0.25% - Titanium 0.15% - Manganese 0.15%	57,14%
2	Base	Bottom	Acrylonitrile Butadiene Styrene (ABS)	28,57%
3	Printing area	Тор	Aluminum alloy - Aluminum 96.85% - Magnesium 0.9% - Iron 0.7% - Silicon 0.35% - Chromium 0.35% - Copper 0.3% - Zinc 0.25% - Titanium 0.15% - Manganese 0.15%	11,43%
4	Screw	Bottom	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	2,86%
			Total	100,00%



Non-blodegradable ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon Husk/PP, Coffee Husk/ABS, Polyester/Latex Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Mood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Mood, Mo	Material information	Petrochemical	Partly Biobased	Biobased
Biodegradable (industrial) PBAT PLA/BPAT PLA/BPAT PLA/BPAT PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Woo	Non-biodegradable	PVC, <u>ABS</u> , VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE,	Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS,	Glass, Basalt Stone, Ceramic, Chalk
	9	PBAT	PLA/BPAT	Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil,

Recyclability of material	⊠Yes	□No
---------------------------	------	-----

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion

















Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

_

Packaging and Transport

rackaging and transport						
	Piece	Inner Carton	Carton	mo box	Polybag	Packaging
	1	70	280			_

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO8539-05

Item description

Bicycle bell made of aluminium and ABS.

Part	Component description	Position	Material	Weight Percentage
1	Bell cover	Тор	Aluminum alloy - Aluminum 96.85% - Magnesium 0.9% - Iron 0.7% - Silicon 0.35% - Chromium 0.35% - Copper 0.3% - Zinc 0.25% - Titanium 0.15% - Manganese 0.15%	57,14%
2	Base	Bottom	Acrylonitrile Butadiene Styrene (ABS)	28,57%
3	Printing area	Тор	Aluminum alloy - Aluminum 96.85% - Magnesium 0.9% - Iron 0.7% - Silicon 0.35% - Chromium 0.35% - Copper 0.3% - Zinc 0.25% - Titanium 0.15% - Manganese 0.15%	11,43%
4	Screw	Bottom	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	2,86%
			Total	100,00%



Non-blodegradable ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon Husk/PP, Coffee Husk/ABS, Polyester/Latex Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Mood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Mood, Mo	Material information	Petrochemical	Partly Biobased	Biobased
Biodegradable (industrial) PBAT PLA/BPAT PLA/BPAT PLA/BPAT PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Woo	Non-biodegradable	PVC, <u>ABS</u> , VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE,	Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS,	Glass, Basalt Stone, Ceramic, Chalk
	9	PBAT	PLA/BPAT	Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil,

Recyclability of material	⊠Yes	□No
---------------------------	------	-----

Recycled material	Natural material	Reused waste material	
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No	

End of life suggestion

















Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

_

Packaging and Transport

rackaging and transport						
	Piece	Inner Carton	Carton	mo box	Polybag	Packaging
	1	70	280			_

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO8539-17

Item description

Bicycle bell made of aluminium and ABS.

Part	Component description	Position	Material	Weight Percentage
1	Bell cover	Тор	Aluminum alloy - Aluminum 96.85% - Magnesium 0.9% - Iron 0.7% - Silicon 0.35% - Chromium 0.35% - Copper 0.3% - Zinc 0.25% - Titanium 0.15% - Manganese 0.15%	57,14%
2	Base	Bottom	Acrylonitrile Butadiene Styrene (ABS)	28,57%
3	Printing area	Тор	Aluminum alloy - Aluminum 96.85% - Magnesium 0.9% - Iron 0.7% - Silicon 0.35% - Chromium 0.35% - Copper 0.3% - Zinc 0.25% - Titanium 0.15% - Manganese 0.15%	11,43%
4	Screw	Bottom	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	2,86%
			Total	100,00%



Material information	Petrochemical	Partly Biobased	Biobased	
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, <u>ABS</u> , VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk	
Biodegradable (industrial)		PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather	

Recycled material	Natural material	Reused waste material	
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No	

End of life suggestion

















Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

_

Packaging and Transport

i ackagiiig	j and mansport				
Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	70	280			_

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela