

SUSTAINABILITY DECLARATION



Item number
MO8595-03

Item description

Lanyard with metal hook, detachable buckle and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Lanyard fabric	Lanyard	Polyester (PET)	40,50%
2	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	26,60%
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	22,30%
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	10,60%
			Sum	100,00%

Cotton sourced & processed

Country of origin	-
Country of processing	-

Biodegradability of material	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
-------------------------------------	------------------------------	--

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	25	500	-	Y	25 pieces per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO8595-04

Item description

Lanyard with metal hook, detachable buckle and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Lanyard fabric	Lanyard	Polyester (PET)	40,50%
2	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	26,60%
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	22,30%
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	10,60%
			Sum	100,00%

Cotton sourced & processed

Country of origin	-
Country of processing	-

Biodegradability of material	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
-------------------------------------	------------------------------	--

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	25	500	-	Y	25 pieces per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO8595-05

Item description

Lanyard with metal hook, detachable buckle and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Lanyard fabric	Lanyard	Polyester (PET)	40,50%
2	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	26,60%
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	22,30%
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	10,60%
			Sum	100,00%

Cotton sourced & processed

Country of origin	-
Country of processing	-

Biodegradability of material	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
-------------------------------------	------------------------------	--

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	25	500	-	Y	25 pieces per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO8595-06

Item description

Lanyard with metal hook, detachable buckle and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Lanyard fabric	Lanyard	Polyester (PET)	40,50%
2	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	26,60%
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	22,30%
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	10,60%
			Sum	100,00%

Cotton sourced & processed

Country of origin	-
Country of processing	-

Biodegradability of material	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
-------------------------------------	------------------------------	--

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	25	500	-	Y	25 pieces per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.


midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO8595-09

Item description

Lanyard with metal hook, detachable buckle and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Lanyard fabric	Lanyard	Polyester (PET)	40,50%
2	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	26,60%
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	22,30%
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	10,60%
			Sum	100,00%

Cotton sourced & processed

Country of origin	-
Country of processing	-

Biodegradability of material	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
-------------------------------------	------------------------------	--

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	25	500	-	Y	25 pieces per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO8595-10

Item description
Lanyard with metal hook, detachable buckle and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Lanyard fabric	Lanyard	Polyester (PET)	40,50%
2	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	26,60%
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	22,30%
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	10,60%
			Sum	100,00%

Cotton sourced & processed

Country of origin	-
Country of processing	-

Biodegradability of material	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
-------------------------------------	------------------------------	--

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	25	500	-	Y	25 pieces per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO8595-12

Item description
Lanyard with metal hook, detachable buckle and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Lanyard fabric	Lanyard	Polyester (PET)	40,50%
2	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	26,60%
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	22,30%
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	10,60%
			Sum	100,00%

Cotton sourced & processed

Country of origin	-
Country of processing	-

Biodegradability of material	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
-------------------------------------	------------------------------	--

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	25	500	-	Y	25 pieces per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.


midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO8595-37

Item description

Lanyard with metal hook, detachable buckle and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Lanyard fabric	Lanyard	Polyester (PET)	40,50%
2	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	26,60%
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	22,30%
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	10,60%
			Sum	100,00%

Cotton sourced & processed

Country of origin	-
Country of processing	-

Biodegradability of material	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
-------------------------------------	------------------------------	--

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	25	500	-	Y	25 pieces per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO8595-38

Item description

Lanyard with metal hook, detachable buckle and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Lanyard fabric	Lanyard	Polyester (PET)	40,50%
2	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	26,60%
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	22,30%
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	10,60%
			Sum	100,00%

Cotton sourced & processed

Country of origin	-
Country of processing	-

Biodegradability of material	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
-------------------------------------	------------------------------	--

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	25	500	-	Y	25 pieces per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.


midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO8595-48

Item description

Lanyard with metal hook, detachable buckle and safety breakaway. 20 mm wide. Sublimation print available on white item only.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Lanyard fabric	Lanyard	Polyester (PET)	40,50%
2	Plastic buckle	Middle of lanyard	Polyoxy Methylene (POM)	26,60%
3	Metal hook	End of lanyard	Zinc Alloy - Zinc 99% - Aluminum 0.6% - Copper 0.4%	22,30%
4	Safety break	Top of lanyard	Polyoxy Methylene (POM)	10,60%
			Sum	100,00%

Cotton sourced & processed

Country of origin	-
Country of processing	-

Biodegradability of material	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
-------------------------------------	------------------------------	--

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion




Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	25	500	-	Y	25 pieces per polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director